

Aluminum Fencing

Special Order Catalog

FREEDOM[®]
OUTDOOR LIVING



To Contact a Barrette Outdoor Living/Freedom[®] Specialist Call: **888-418-4400**

Welcome to your Freedom®

Aluminum Fence Guide

The enclosed contents will assist in the shopping experience from choosing the right style and color for a project to selecting the accessories to complement.

Review the Project Planning Guide for assistance in determining the right fencing style and install solutions for your needs. Once complete, ordering is a snap with the simple checklist provided.

Panels

- ☐ Style: Picket vs. Flat Top
- ☐ Grade: Heavy Duty vs. Standard
- ☐ Size: Height & Width
- ☐ Color: Black, White, Pewter

Posts

- ☐ Line Posts
- ☐ Corner Posts
- ☐ End Posts
- ☐ Gate Posts
- ☐ Blank Posts

Gate & Gate Hardware

- ☐ Gates (Includes hinges)
- ☐ Latches
- ☐ Drop Rods
- ☐ Gate Handle
- ☐ Gate Stop

Accessories

- ☐ Post Tops (Pyramid top & screws included with posts)
- ☐ Brackets
- ☐ Surface Mounts
- ☐ Decorative Accents

If you need more assistance, we are here for you.
Contact your Freedom Specialist at (888) 418-4400.

FREEDOM®
OUTDOOR LIVING



Easton Standard - Black

Why Freedom?

Benefits

- Aluminum fencing resists corrosion, fading, discoloring and never needs painting
- Low-maintenance, durable aluminum material will ensure that your fence will be as strong and secure as it is attractive



Industry Leading Warranty



Limited Lifetime Warranty,
transferable up to one transfer

Patented Technologies



Snap&Stay™ - hidden fastener system that locks fence panels together from the inside out to provide a clean design.



Snap&Stay™

Choosing the Right Fence

Consider your fencing application need and choose a panel that meets the criteria to best suit you. With a variety of styles and sizes, our panels can meet any of your needs.

Need



Pool Code Approved panels meet ICC requirements
Always make sure to check your local building regulations for further details




Children & Pet Safe panels use smaller spacing between pickets and are perfect for kids and pets to keep them secure within your yard

Style



Decorative aluminum fencing adds curb appeal to any home



Installation Overview

Standard panels are available in 6' lengths and utilize 2" routed posts. Styles are available with a picket spacing of 3 7/8" distance between the pickets or in a double picket style with 1 5/8" spacing. Matching gates are available to complement each panel style.


Pre-Assembled Fence Panel:

- Follows varied terrain - racks 38" over 6'*
- Routed post connection

*Hampshire panel does not rack


To complete a fence section you will need:

- Post - One per panel, plus one at end
- Panel



Double Picket Style

- Available in Black, Pewter* & White*
- 1" rail size and 5/8" picket size



Post

Rail

Picket



Black

Pewter*

White*

*Available in certain styles only

Routed post connection details:

- 2"x2" line, corner, end, gate* and blank posts sold separately (pyramid post top and screws included with post)

*Gate post features a heavier wall gauge to support the weight of the gate.



Line

Corner

End


Gate*

Blank



Concord Standard - Black

Heavy-Duty panels are available in 6' (Easton Only) and 8' lengths and utilize 2½" routed posts. Styles are available with a picket spacing of 3¾" distance between the pickets. Matching gates are available to complement each panel style.




Pre-Assembled Fence Panel:


- Follows varied terrain - racks 38" over 6' and 48" over 8'
- Routed post connection

To complete a fence section you will need:

- Post - One per panel, plus one at end
- Panel



- Available in Black & Pewter*
- 1½" rail size and ¾" picket size



Black **Pewter***
*Available in certain styles only


Routed post connection details:

- 2½"x2½" line, corner, end, gate* and blank posts sold separately (*pyramid post top and screws included with post*)

*Gate post features a heavier wall gauge to support the weight of the gate.



Line **Corner** **End** **Gate*** **Blank**



Easton Heavy-Duty - Black

Style & Design Overview



Decorative - Flat Top aluminum fence panels feature Snap&Stay™ technology for a strong and stylish finished look. Select panels are pool code approved or safe for children and pets.



Children
& Pet Safe




Snap&Stay™
Technology




Pool Code
Approved

Standard



Easton

4'x6' - Page 11



Concord

4'x6' - Page 13

4½'x6' - Page 14

5'x6' - Page 14



New Haven


3'x6' - Page 23

4'x6' - Page 24

4½'x6' - Page 25

5'x6' - Page 25

6'x6' - Page 26




Hampshire

4'x6' - Page 31


4-½'x6' - Page 32

5'x6' - Page 32



Sydney

4'x6' - Page 33




Sheffield

4'x6' - Page 34


4½'x6' - Page 35

Heavy-Duty



Easton


4'x6' - Page 12



Concord

4½'x8' - Page 15

5'x8' - Page 16



New Haven

4'x8' - Page 27

4½'x8' - Page 28

5'x8' - Page 29

6'x8' - Page 30



Indicates Pool Code approved panel

Style & Design Overview



Decorative - Picket aluminum fence panels feature Snap&Stay™ technology for a strong and stylish finished look. Select panels are pool code approved or safe for children and pets.



Children
& Pet Safe




Snap&Stay™
Technology



Pool Code
Approved


Standard



Providence

- 3'x6' - Page 17
- 4'x6' - Page 18
- 5'x6' - Page 18
- 6'x6' - Page 19

Heavy-Duty



Providence

- 4'x8' - Page 20
- 5'x8' - Page 21
- 6'x8' - Page 22



Indicates Pool Code approved panel

Gates Overview

Freedom fence styles, grades and colors have a variety of gates available in straight, arched or estate styles. Adjustable gate kits are also available to create a gate at a specific width or allow for rackability. Purchase panel and gate kit to create a custom gate.

All gates come with color-matched butterfly self-closing hinges. Additional gate accessories are sold separately.

See page 58-61 for full list of all Barrette Outdoor Living® gate hardware available.



Custom Gate Kit Specifications:

- Kit includes: (2) Routed gate uprights with welded angular brackets, (2) post tops, (1) pair of hinges, (1) gravity latch, (1) bag of mounting hardware
- Create a custom size, rackable gate from select panels (up to 5' wide)
- Rackable from 0-10 degrees
- Includes all necessary hardware to complete your gate project*



*Only compatible with Concord and New Haven styles in 4', 4.5" and 5' heights

Accessories Overview

Freedom aluminum fences can be customized with accessories and post tops to match your personal style. Our solar top is a great addition to gates and posts to illuminate your driveway or walkway.


See page 56 for a full list of accessories available.



Butterfly Scroll



Quad Finial



Solar Top




Pool Code Overview

Certain styles of Freedom vinyl and aluminum fences are pool code approved at the national level (noted with the pool code icon in the catalog). Please note that codes not only vary by state but also by locality. Our pool code products may not meet your local pool code requirements. Be sure to check the codes in your area before ordering.

Look for the Pool Code icon to identify panels that meet Pool Code specifications.

National Pool Code Panel Specifications:

- Fence panel must be at least 48" tall.
- Distance from the top of the bottom rail to the top of the next highest rail must be at least 45".
- Spacing between pickets must be less than 4".
- Space from the bottom of the bottom rail to the ground must be less than 4".



National Pool Code Gate Specifications:

- Must have self-closing hinges.
- Must have self-closing latches.
- Must open out (away from pool area)
- Opening mechanism of the latch must be at least 54" above the ground.
- Must not use a cross brace on gates.



Project Planning Overview

Before you begin your fencing project be sure to...

- Check with your local zoning laws and Home Owner's Association
- Call 811 to have your underground utilities marked on your property
- Determine and sketch distance, location, obstacles and placement of any gates if needed
- Mark your property line to prevent neighbor disputes



Determine materials needed by sketching out your fence project:

- # of gates
- # of panels
- # of line, corner, end, gate or blank posts
(pyramid post top and screws included with posts)

Note: Don't forget additional installation materials such as concrete and pea gravel



Need help estimating materials?

Visit FreedomProduct.com and use our Freedom® Fence Estimator to help you calculate how much product you will need to complete your fencing project.

Let The Professionals Handle It. Lowe's Installation Professionals will do it all for you.

Professional. Worry Free. Reliable. We Stand Behind It.


We work only with the best professional installers in the industry. Lowe's guarantees every professional installation with a full one-year warranty. To work on any job for us (and for you), our independent installers must be:

- Carefully screened, fully licensed (where required) and insured
- Trained through our network of manufacturing partners
- Customer-rated to make sure they make the grade to install for us




4x6 Easton Standard

- 1 in. x 1 in. rails
- 5⁄8 in. pickets / 3-7⁄8 in. picket spacing



Panel and Gates		Actual Size	Black Model #	SOS#
A	4x6 Easton Standard Panel	48in. H x 72-5⁄16in. W	73008701	384437
B	4ft. x 4ft. Easton Standard Straight Gate*	49-1⁄2in. H x 46-1⁄2in. W	73009453	384461
C	4ft. x 4ft. Easton Standard Arched Gate*	49-1⁄2in. H x 46-1⁄2in. W	73015004	384504


Posts		Black Model #	SOS#
D	2in. x 2in. x 70in. Line Post	73008710	384645
E	2in. x 2in. x 70in. Corner Post	73008711	384652
F	2in. x 2in. x 70in. End Post	73008712	384703
G	2in. x 2in. x 70in. Gate Post	73008713	384704
H	2in. x 2in. x 106in. Blank Post	73002392	384527



All aluminum posts include pyramid post top and screws.
For additional post top styles, gate hardware and accessories see page 57-62.
For drive gate information and additional gate sizes see page 39.
*Color-matched butterfly hinges included with all gate kits.

4x6 Easton Heavy Duty

- 1-3⁄16 in. x 1-1⁄2 in. rails
- 3⁄4 in. pickets / 3-3⁄4 in. picket spacing




Panel and Gates		Actual Size	Black Model #	SOS#
A	4x6 Easton Heavy Duty Panel	48-1⁄2in. H x 72-5⁄16in. W	73008974	384447
B	4ft. x 4ft. Easton Heavy Duty Straight Gate*	50in. H x 46-1⁄2in. W	73010300	384495
C	4ft. x 4ft. Easton Heavy Duty Arched Gate*	50in. H x 46-1⁄2in. W	73016236	384508

Posts		Black Model #	SOS#
D	2-1⁄2in. x 2-1⁄2in. x 70in. Line Post	73009236	384748
E	2-1⁄2in. x 2-1⁄2in. x 70in. Corner Post	73009237	384750
F	2-1⁄2in. x 2-1⁄2in. x 70in. End Post	73009238	384752
G	2-1⁄2in. x 2-1⁄2in. x 70in. Gate Post	73009239	384754
H	2-1⁄2in. x 2-1⁄2in. x 106in. Blank Post	73003644	391005




4x6 Easton Heavy Duty - Black



All aluminum posts include pyramid post top and screws.
For additional post top styles, gate hardware and accessories see page 57-62.
For drive gate information and additional gate sizes see page 39.
*Color-matched butterfly hinges included with all gate kits.

4x6 Concord Standard

- 1 in. x 1 in. rails
- 5⁄8 in. pickets / 3-7⁄8 in. picket spacing




Panel and Gates		Actual Size	Black Model #	SOS#
A	4x6 Concord Standard Panel	47in. H x 72-5⁄16in. W	73002310	384419
B	4ft. x 4ft. Concord Standard Straight Gate*	48-1⁄2in. H x 46-1⁄2in. W	73009525	384475
C	4ft. x 4ft. Concord Standard Arched Gate*	48-1⁄2in. H x 46-1⁄2in. W	73009522	384473
D	Adjustable Gate Kit		73050638	5020066

Posts		Black Model #	SOS#
E	2in. x 2in. x 70in. Line Post	73002255	384515
F	2in. x 2in. x 70in. Corner Post	73002256	384516
G	2in. x 2in. x 70in. End Post	73002257	384517
H	2in. x 2in. x 70in. Gate Post	73002258	384518
I	2in. x 2in. x 106in. Blank Post	73002392	384527






4x6 Concord Standard - Black



All aluminum posts include pyramid post top and screws.
For additional post top styles, gate hardware and accessories see page 57-62.
For drive gate information and additional gate sizes see page 39.
*Color-matched butterfly hinges included with all gate kits.

4-1/2x6 Concord Standard

- 1 in. x 1 in. rails
- 5/8 in. pickets / 3-7/8 in. picket spacing






Panel and Gates		Actual Size	Black Model #	SOS#
A	4-1/2x6 Concord Standard Panel	54in. H x 72-5/16in. W	73002354	384424
B	4-1/2ft. x 4ft. Concord Standard Straight Gate*	55-1/2in. H x 46-1/2in. W	73009531	384477
C	4-1/2ft. x 4ft. Concord Standard Arched Gate*	55-1/2in. H x 46-1/2in. W	73009528	384476
D	Adjustable Gate Kit		73050585	5020067

Posts		Black Model #	SOS#
E	2in. x 2in. x 82in. Line Post	73002387	384526
F	2in. x 2in. x 82in. Corner Post	73002380	384523
G	2in. x 2in. x 82in. End Post	73002383	384524
H	2in. x 2in. x 82in. Gate Post	73002385	384525
I	2in. x 2in. x 106in. Blank Post	73002392	384527


5x6 Concord Standard

- 1 in. x 1 in. rails
- 5/8 in. pickets / 3-7/8 in. picket spacing



Panel and Gates		Actual Size	Black Model #	SOS#
A	5x6 Concord Standard Panel	59in. H x 72-5/16in. W	73002343	384421
B	5ft. x 4ft. Concord Standard Straight Gate*	60-1/2in. H x 46-1/2in. W	73009537	384479
C	5ft. x 4ft. Concord Standard Arched Gate*	60-1/2in. H x 46-1/2in. W	73009534	384478
D	Adjustable Gate Kit		73050639	5020068


Posts		Black Model #	SOS#
E	2in. x 2in. x 88in. Line Post	73002265	384519
F	2in. x 2in. x 88in. Corner Post	73002266	384520
G	2in. x 2in. x 88in. End Post	73002267	384521
H	2in. x 2in. x 88in. Gate Post	73002268	384522
I	2in. x 2in. x 106in. Blank Post	73002392	384527



All aluminum posts include pyramid post top and screws.
For additional post top styles, gate hardware and accessories see page 57-62.
For drive gate information and additional gate sizes see page 39.
*Color-matched butterfly hinges included with all gate kits.

4-1/2x8 Concord Heavy Duty


- 1-3/16 in. x 1-1/2 in. rails
- 3/4 in. pickets / 3-3/4 in. picket spacing



Panel and Gates		Actual Size	Black Model #	SOS#
A	4-1/2x8 Concord Heavy Duty Panel	54-1/2in. H x 94-11/16in. W	73008989	384448
B	4-1/2ft. x 4ft. Concord Heavy Duty Straight Gate*	56in. H x 46-1/2in. W	73010336	384497
C	4-1/2ft. x 4ft. Concord Heavy Duty Arched Gate*	56in. H x 46-1/2in. W	73010333	384496
Posts			Black Model #	SOS#
D	2 1/2in. x 2 1/2in. x 82in Line Post		73009244	384756
E	2 1/2in. x 2 1/2in. x 82in. Corner Post		73009245	384758
F	2 1/2in. x 2 1/2in. x 82in. End Post		73009246	384760
G	2 1/2in. x 2 1/2in. x 82in. Gate Post		73009247	384763
H	2 1/2in. x 2 1/2in. x 106in. Blank Post		73003644	391005




4-1/2x8 Concord Heavy Duty - Black



All aluminum posts include pyramid post top and screws.
 For additional post top styles, gate hardware and accessories see page 57-62.
 For drive gate information and additional gate sizes see page 39.
 *Color-matched butterfly hinges included with all gate kits.


5x8 Concord Heavy Duty

- 1-³/₁₆ in. x 1-¹/₂ in. rails
- ³/₄ in. pickets / 3-³/₄ in. picket spacing




Panel and Gates		Actual Size	Black Model #	SOS#
A	5x8 Concord Heavy Duty Panel	59in. H x 94-¹¹/₁₆in. W	73008990	384449
B	5ft. x 4ft. Concord Heavy Duty Straight Gate*	60- ¹ / ₂ in. H x 46- ¹ / ₂ in. W	73010342	384501
C	5ft. x 4ft. Concord Heavy Duty Arched Gate*	60- ¹ / ₂ in. H x 46- ¹ / ₂ in. W	73010339	384499

Posts		Black Model #	SOS#
D	2 ¹ / ₂ in. x 2 ¹ / ₂ in. x 88in. Line Post	73009248	384765
E	2 ¹ / ₂ in. x 2 ¹ / ₂ in. x 88in. Corner Post	73009249	384767
F	2 ¹ / ₂ in. x 2 ¹ / ₂ in. x 88in. End Post	73009250	384768
G	2 ¹ / ₂ in. x 2 ¹ / ₂ in. x 88in. Gate Post	73009251	384769
H	2 ¹ / ₂ in. x 2 ¹ / ₂ in. x 106in. Blank Post	73003644	391005



5x8 Concord Heavy Duty - Black




All aluminum posts include pyramid post top and screws.
 For additional post top styles, gate hardware and accessories see page 57-62.
 For drive gate information and additional gate sizes see page 39.
 *Color-matched butterfly hinges included with all gate kits.


3x6 Providence Standard

- 1 in. x 1 in. rails
- $\frac{5}{8}$ in. pickets / 3- $\frac{7}{8}$ in. picket spacing

A



B



C




	Panel and Gates	Actual Size	Black Model #	SOS#
A	3x6 Providence Standard Panel	34in. H x 72-$\frac{5}{16}$in. W	73008825	384441
B	3ft. x 4ft. Providence Standard Straight Gate*	34- $\frac{5}{8}$ in. H x 46- $\frac{1}{2}$ in. W	73009359	384452
C	3ft. x 4ft. Providence Standard Arched Gate*	34- $\frac{5}{8}$ in. H x 46- $\frac{1}{2}$ in. W	73009356	384451

	Posts	Black Model #	SOS#
D	2in. x 2in. x 58in. Line Post	73009098	384709
E	2in. x 2in. x 58in. Corner Post	73009099	384710
F	2in. x 2in. x 58in. End Post	73009100	384711
G	2in. x 2in. x 58in. Gate Post	73009101	384712
H	2in. x 2in. x 106in. Blank Post	73002392	384527



3x6 Providence Standard - Black




All aluminum posts include pyramid post top and screws.
 For additional post top styles, gate hardware and accessories see page 57-62.
 For drive gate information and additional gate sizes see page 39.
 *Color-matched butterfly hinges included with all gate kits.


4x6 Providence Standard

- 1 in. x 1 in. rails
- $\frac{5}{8}$ in. pickets / $3\text{--}\frac{7}{8}$ in. picket spacing

A



B



C




	Panel and Gates	Actual Size	Black Model #	SOS#
A	4x6 Providence Standard Panel	46-$\frac{3}{4}$in. H x 72-$\frac{5}{16}$in. W	73002210	384415
B	4ft. x 4ft. Providence Standard Straight Gate*	48- $\frac{1}{4}$ in. H x 46- $\frac{1}{2}$ in. W	73009365	384454
C	4ft. x 4ft. Providence Standard Arched Gate*	48- $\frac{1}{4}$ in. H x 46- $\frac{1}{2}$ in. W	73009362	384453

	Posts	Black Model #	SOS#
D	2in. x 2in. x 70in. Line Post	73002220	384510
E	2in. x 2in. x 70in. Corner Post	73002221	384512
F	2in. x 2in. x 70in. End Post	73002222	384513
G	2in. x 2in. x 70in. Gate Post	73002223	384514
H	2in. x 2in. x 106in. Blank Post	73002392	384527

5x6 Providence Standard

- 1 in. x 1 in. rails
- $\frac{5}{8}$ in. pickets / $3\text{--}\frac{7}{8}$ in. picket spacing

A



B




C



	Panel and Gates	Actual Size	Black Model #	SOS#
A	5x6 Providence Standard Panel	58-$\frac{3}{4}$in. H x 72-$\frac{5}{16}$in. W	73008702	384438
B	5ft. x 4ft. Providence Standard Straight Gate*	60- $\frac{1}{4}$ in. H x 46- $\frac{1}{2}$ in. W	73009371	384456
C	5ft. x 4ft. Providence Standard Arched Gate*	60- $\frac{1}{4}$ in. H x 46- $\frac{1}{2}$ in. W	73009368	384455


	Posts	Black Model #	SOS#
D	2in. x 2in. x 88in. Line Post	73008706	384567
E	2in. x 2in. x 88in. Corner Post	73008707	384572
F	2in. x 2in. x 88in. End Post	73008708	384629
G	2in. x 2in. x 88in. Gate Post	73008709	384634
H	2in. x 2in. x 106in. Blank Post	73002392	384527



All aluminum posts include pyramid post top and screws.
 For additional post top styles, gate hardware and accessories see page 57-62.
 For drive gate information and additional gate sizes see page 39.
 *Color-matched butterfly hinges included with all gate kits.


6x6 Providence Standard

- 1 in. x 1 in. rails
- $\frac{5}{8}$ in. pickets / 3- $\frac{7}{8}$ in. picket spacing




Panel and Gates		Actual Size	Black Model #	SOS#
A	6x6 Providence Standard Panel	70-$\frac{3}{4}$in. H x 72-$\frac{5}{16}$in. W	73002352	384423
B	6ft. x 4ft. Providence Standard Straight Gate*	72- $\frac{1}{4}$ in. H x 46- $\frac{1}{2}$ in. W	73009377	384458
C	6ft. x 4ft. Providence Standard Arched Gate*	72- $\frac{1}{4}$ in. H x 46- $\frac{1}{2}$ in. W	73009374	384457

Posts		Black Model #	SOS#
D	2in. x 2in. x 106in. Line Post	73002410	384536
E	2in. x 2in. x 106in. Corner Post	73002404	384533
F	2in. x 2in. x 106in. End Post	73002406	384534
G	2in. x 2in. x 106in. Gate Post	73002408	384535
H	2in. x 2in. x 106in. Blank Post	73002392	384527



6x6 Providence Standard - Black



All aluminum posts include pyramid post top and screws.
 For additional post top styles, gate hardware and accessories see page 57-62.
 For drive gate information and additional gate sizes see page 39.
 *Color-matched butterfly hinges included with all gate kits.

4x8 Providence Heavy Duty

- 1-³/₁₆ in. x 1-¹/₂ in. rails
- ³/₄ in. pickets / 3-³/₄ in. picket spacing

A



B



C




Panel and Gates		Actual Size	Black Model #	SOS#
A	4x8 Providence Heavy Duty Panel	46-³/₄in. H x 94-¹¹/₁₆in. W	73008961	384446
B	4ft. x 4ft. Providence Heavy Duty Straight Gate*	48- ¹ / ₄ in. H x 46- ¹ / ₂ in. W	73010246	384492
C	4ft. x 4ft. Providence Heavy Duty Arched Gate*	48- ¹ / ₄ in. H x 46- ¹ / ₂ in. W	73010243	384489

Posts		Black Model #	SOS#
D	2 ¹ / ₂ in. x 2 ¹ / ₂ in. x 70in. Line Post	73009232	384725
E	2 ¹ / ₂ in. x 2 ¹ / ₂ in. x 70in. Corner Post	73009233	384727
F	2 ¹ / ₂ in. x 2 ¹ / ₂ in. x 70in. End Post	73009234	384728
G	2 ¹ / ₂ in. x 2 ¹ / ₂ in. x 70in. Gate Post	73009235	384746
H	2 ¹ / ₂ in. x 2 ¹ / ₂ in. x 106in. Blank Post	73003644	391005




4x8 Providence Heavy Duty - Black



All aluminum posts include pyramid post top and screws.
 For additional post top styles, gate hardware and accessories see page 57-62.
 For drive gate information and additional gate sizes see page 39.
 *Color-matched butterfly hinges included with all gate kits.

5x8 Providence Heavy Duty

- 1-3⁄16 in. x 1-1⁄2 in. rails
- 3⁄4 in. pickets / 3-3⁄4 in. picket spacing




Panel and Gates		Actual Size	Black Model #	SOS#
A	5x8 Providence Heavy Duty Panel	58-3⁄4in. H x 94-1⁄16in. W	73003515	384436
B	5ft. x 4ft. Providence Heavy Duty Straight Gate	60-1⁄4in. H x 46-1⁄2in. W	73010252	384494
C	5ft. x 4ft. Providence Heavy Duty Arched Gate	60-1⁄4in. H x 46-1⁄2in. W	73010249	384493

Posts		Black Model #	SOS#
D	2½in. x 2½in. x 88in. Line Post	73003517	384537
E	2½in. x 2½in. x 88in. Corner Post	73003524	384538
F	2½in. x 2½in. x 88in. End Post	73003525	384562
G	2½in. x 2½in. x 88in. Gate Post	73003958	384563
H	2½in. x 2½in. x 106in. Blank Post	73003644	391005




5x8 Providence Heavy Duty - Black



All aluminum posts include pyramid post top and screws.
For additional post top styles, gate hardware and accessories see page 57-62.
For drive gate information and additional gate sizes see page 39.
*Color-matched butterfly hinges included with all gate kits.

6x8 Providence Heavy Duty

- 1-3⁄16 in. x 1-1⁄2 in. rails
- 3⁄4 in. pickets / 3-3⁄4 in. picket spacing




Panel and Gates		Actual Size	Black Model #	SOS#
A	6x8 Providence Heavy Duty Panel	71in. H x 72-5⁄16in. W	73003518	5696222
B	4ft. x 4ft. Providence Heavy Duty Straight Gate*	72-1⁄2in. H x 46-1⁄2in. W	73010258	5696168
C	4ft. x 4ft. Providence Heavy Duty Arched Gate*	72-1⁄2in. H x 46-1⁄2in. W	73010255	5696187

Posts		Black Model #	SOS#
D	2½in. x 2½in. x 106in. Line Post	73003520	5696219
E	2½in. x 2½in. x 106in.. Corner Post	73003526	5696221
F	2½in. x 2½in. x 106in. End Post	73003527	5696218
G	2½in. x 2½in. x 106in. Gate Post	73003960	5696193
H	2½in. x 2½in. x 106in. Blank Post	73003644	391005



6x8 Providence Heavy Duty - Black



All aluminum posts include pyramid post top and screws.
For additional post top styles, gate hardware and accessories see page 57-62.
For drive gate information and additional gate sizes see page 39.
*Color-matched butterfly hinges included with all gate kits.

3x6 New Haven Standard

- 1 in. x 1 in. rails
- $\frac{5}{8}$ in. pickets / $3\frac{7}{8}$ in. picket spacing

A



B




C




Panel and Gates		Actual Size	Black Model #	SOS#
A	3x6 New Haven Standard Panel	35in. H x 72-$\frac{5}{16}$in. W	73008838	384443
B	3ft. x 4ft. New Haven Standard Straight Gate	36- $\frac{1}{2}$ in. H x 46- $\frac{1}{2}$ in. W	73009459	384463
C	3ft. x 4ft. New Haven Standard Arched Gate	36- $\frac{1}{2}$ in. H x 46- $\frac{1}{2}$ in. W	73009456	384462

Posts		Black Model #	SOS#
D	2in. x 2in. x 58in. Line Post	73009102	384713
E	2in. x 2in. x 58in. Corner Post	73009103	384714
F	2in. x 2in. x 58in. End Post	73009104	384715
G	2in. x 2in. x 58in. Gate Post	73009105	384717
H	2in. x 2in. x 106in. Blank Post	73002392	384527



3x6 New Haven Standard - Black



All aluminum posts include pyramid post top and screws.
 For additional post top styles, gate hardware and accessories see page 57-62.
 For drive gate information and additional gate sizes see page 39.
 *Color-matched butterfly hinges included with all gate kits.

4x6 New Haven Standard

- 1 in. x 1 in. rails
- $\frac{5}{8}$ in. pickets / 3- $\frac{7}{8}$ in. picket spacing

A



B




C




Panel and Gates	Actual Size	Black Model #	SOS#	Pewter Model #	SOS#
A 4x6 New Haven Standard Panel	47in. H x 72-$\frac{5}{16}$in. W	73002245	384417	73008867	5696220
B 4ft. x 4ft. New Haven Standard Straight Gate*	48- $\frac{1}{2}$ in. H x 46- $\frac{1}{2}$ in. W	73009465	384465	73009684	5696217
C 4ft. x 4ft. New Haven Standard Arched Gate*	48- $\frac{1}{2}$ in. H x 46- $\frac{1}{2}$ in. W	73009462	384464	73009681	5696214
I 4ft. x 4ft. New Haven Adjustable Gate Kit*		73050638	5020066	•	•

Posts	Black Model #	SOS#	Pewter Model #	SOS#
D 2in. x 2in. x 70in. Line Post	73002255	384515	73009127	5696180
E 2in. x 2in. x 70in. Corner Post	73002256	384516	73009128	5696178
F 2in. x 2in. x 70in. End Post	73002257	384517	73009129	5696181
G 2in. x 2in. x 70in. Gate Post	73002258	384518	73009130	5696179
H 2in. x 2in. x 106in. Blank Post	73002392	384527	•	•




4x6 New Haven Standard - Black



All aluminum posts include pyramid post top and screws.
 For additional post top styles, gate hardware and accessories see page 57-62.
 For drive gate information and additional gate sizes see page 39.
 *Color-matched butterfly hinges included with all gate kits.

4-1/2x6 New Haven Standard

- 1 in. x 1 in. rails
- 5/8 in. pickets / 3-7/8 in. picket spacing




	Panel and Gates	Actual Size	Black Model #	SOS#	Pewter Model #	SOS#	White Model #	SOS#
A	4-1/2x6 New Haven Standard Panel	54in. H x 72-5/16in. W	73002356	4358851	73008703	384439	73008903	384444
B	4-1/2ft. x 4ft. New Haven Standard Straight Gate*	55-1/2in. H x 46-1/2in. W	73009471	384468	73009690	384482	73009909	384486
C	4-1/2ft. x 4ft. New Haven Standard Arched Gate*	55-1/2in. H x 46-1/2in. W	73009468	384466	73009687	384481	73009906	384485
I	54" 3 Rail Adjustable Gate Kit		73050585	5020067	•	•	•	•

	Posts	Black Model #	SOS#	Pewter Model #	SOS#	White Model #	SOS#
D	2in. x 2in. x 82in. Line Post	73002387	384526	73008714	384705	73009170	384719
E	2in. x 2in. x 82in. Corner Post	73002380	384523	73008715	384706	73009171	384720
F	2in. x 2in. x 82in. End Post	73002383	384524	73008716	384707	73009172	384721
G	2in. x 2in. x 82in. Gate Post	73002385	384525	73008717	384708	73009173	384723
H	2in. x 2in. x 106in. Blank Post	73002392	384527	73009141	391001	73009186	391002


5x6 New Haven Standard

- 1 in. x 1 in. rails
- 5/8 in. pickets / 3-7/8 in. picket spacing



	Panel and Gates	Actual Size	Black Model #	SOS#
A	5x6 New Haven Standard Panel	59in. H x 72-5/16in. W	73002246	384418
B	5ft. x 4ft. New Haven Standard Straight Gate*	60-1/2in. H x 46-1/2in. W	73009477	384470
C	5ft. x 4ft. New Haven Standard Arched Gate*	60-1/2in. H x 46-1/2in. W	73009474	384469
I	5 ft. Adjustable Gate Kit		73050639	5020068


	Posts	Black Model #	SOS#
D	2in. x 2in. x 88in. Line Post	73002265	384519
E	2in. x 2in. x 88in. Corner Post	73002266	384520
F	2in. x 2in. x 88in. End Post	73002267	384521
G	2in. x 2in. x 88in. Gate Post	73002268	384522
H	2in. x 2in. x 106in. Blank Post	73002392	384527



All aluminum posts include pyramid post top and screws.
For additional post top styles, gate hardware and accessories see page 57-62.
For drive gate information and additional gate sizes see page 39.
*Color-matched butterfly hinges included with all gate kits.

6x6 New Haven Standard

- 1 in. x 1 in. rails
- 5/8 in. pickets / 3-7/8 in. picket spacing




Panel and Gates		Actual Size	Black Model #	SOS#
A	6x6 New Haven Standard Panel	71in. H x 72-5/16in. W	73002350	384422
B	6ft. x 4ft. New Haven Standard Straight Gate*	72-1/2in. H x 46-1/2in. W	73009483	384472
C	6ft. x 4ft. New Haven Standard Arched Gate*	72-1/2in. H x 46-1/2in. W	73009480	384471

Posts		Black Model #	SOS#
D	2in. x 2in. x 106in. Line Post	73002402	384532
E	2in. x 2in. x 106in. Corner Post	73002396	384529
F	2in. x 2in. x 106in. End Post	73002398	384530
G	2in. x 2in. x 106in. Gate Post	73002400	384531
H	2in. x 2in. x 106in. Blank Post	73002392	384527




6x6 New Haven Standard - Black



All aluminum posts include pyramid post top and screws.
For additional post top styles, gate hardware and accessories see page 57-62.
For drive gate information and additional gate sizes see page 39.
*Color-matched butterfly hinges included with all gate kits.

4x8 New Haven Heavy Duty

- 1-³/₁₆ in. x 1-¹/₂ in. rails
- ³/₄ in. pickets / 3-³/₄ in. picket spacing




Panel and Gates		Actual Size	Black Model #	SOS#
A	4x8 New Haven Heavy Duty Panel	46-³/₄in. H x 94-¹¹/₁₆in. W	73008980	5696183
B	4ft. x 4ft. New Haven Heavy Duty Straight Gate*	48- ¹ / ₄ in. H x 46- ¹ / ₂ in. W	73010306	5696203
C	4ft. x 4ft. New Haven Heavy Duty Arched Gate*	48- ¹ / ₄ in. H x 46- ¹ / ₂ in. W	73010303	5696206

Posts		Black Model #	SOS#
D	2 ¹ / ₂ in. x 2 ¹ / ₂ in. x 82in. Line Post	73009240	5696195
E	2 ¹ / ₂ in. x 2 ¹ / ₂ in. x 82in. Corner Post	73009241	5696192
F	2 ¹ / ₂ in. x 2 ¹ / ₂ in. x 82in. End Post	73009242	5696194
G	2 ¹ / ₂ in. x 2 ¹ / ₂ in. x 82in. Gate Post	73009243	5696189
H	2 ¹ / ₂ in. x 2 ¹ / ₂ in. x 106in. Blank Post	73003644	391005




4x8 New Haven Heavy Duty - Black



All aluminum posts include pyramid post top and screws.
 For additional post top styles, gate hardware and accessories see page 57-62.
 For drive gate information and additional gate sizes see page 39.
 *Color-matched butterfly hinges included with all gate kits.

4-1/2x8 New Haven Heavy Duty

- 1-3/16 in. x 1-1/2 in. rails
- 3/4 in. pickets / 3-3/4 in. picket spacing




Panel and Gates		Actual Size	Black Model #	SOS#
A	4-1/2x8 New Haven Heavy Duty Panel	54-1/2in. H x 94-11/16in. W	73008981	391010
B	4-1/2ft. x 4ft. New Haven Heavy Duty Straight Gate*	56in. H x 46-1/2in. W	73010312	391015
C	4-1/2ft. x 4ft. New Haven Heavy Duty Arched Gate*	56in. H x 46-1/2in. W	73010309	391012

Posts		Black Model #	SOS#
D	2 1/2in. x 2 1/2in. x 82in. Line Post	73009244	384756
E	2 1/2in. x 2 1/2in. x 82in. Corner Post	73009245	384758
F	2 1/2in. x 2 1/2in. x 82in. End Post	73009246	384760
G	2 1/2in. x 2 1/2in. x 82in. Gate Post	73009247	384763
H	2 1/2in. x 2 1/2in. x 106in. Blank Post	73003644	391005




4-1/2x8 New Haven Heavy Duty - Black



All aluminum posts include pyramid post top and screws.
For additional post top styles, gate hardware and accessories see page 57-62.
For drive gate information and additional gate sizes see page 39.
*Color-matched butterfly hinges included with all gate kits.

5x8 New Haven Heavy Duty

- 1-³/₁₆ in. x 1-¹/₂ in. rails
- ³/₄ in. pickets / 3-³/₄ in. picket spacing




Panel and Gates		Actual Size	Black Model #	SOS#
A	5x8 New Haven Heavy Duty Panel	59in. H x 94 -¹¹/₁₆in. W	73008982	391018
B	54ft. x 4ft. New Haven Heavy Duty Straight Gate*	60- ¹ / ₂ in. H x 46- ¹ / ₂ in. W	73010318	391022
C	54ft. x 4ft. New Haven Heavy Duty Arched Gate*	60- ¹ / ₂ in. H x 46- ¹ / ₂ in. W	73010315	391020

Posts		Black Model #	SOS#
D	2 ¹ / ₂ in. x 2 ¹ / ₂ in. x 88in. Line Post	73009248	384765
E	2 ¹ / ₂ in. x 2 ¹ / ₂ in. x 88in. Corner Post	73009249	384767
F	2 ¹ / ₂ in. x 2 ¹ / ₂ in. x 88in. End Post	73009250	384768
G	2 ¹ / ₂ in. x 2 ¹ / ₂ in. x 88in. Gate Post	73009251	384769
H	2 ¹ / ₂ in. x 2 ¹ / ₂ in. x 106in. Blank Post	73003644	391005




5x8 New Haven Heavy Duty - Black



All aluminum posts include pyramid post top and screws.
 For additional post top styles, gate hardware and accessories see page 57-62.
 For drive gate information and additional gate sizes see page 39.
 *Color-matched butterfly hinges included with all gate kits.

6x8 New Haven Heavy Duty

- 1-3⁄16 in. x 1-1⁄2 in. rails
- 3⁄4 in. pickets / 3-3⁄4 in. picket spacing




Panel and Gates		Actual Size	Black Model #	SOS#
A	6ft. x 8ft. New Haven Heavy Duty Panel	71in. H x 72-5⁄16in. W	73008983	5696170
B	6ft. x 8ft. New Haven Heavy Duty Straight Gate*	72-1⁄2in. H x 46-1⁄2in. W	73010324	5696166
C	6ft. x 8ft. New Haven Heavy Duty Arched Gate*	72-1⁄2in. H x 46-1⁄2in. W	73010321	5696165

Posts		Black Model #	SOS#
D	2½in. x 2½in. x 106in. Line Post	73009252	5696190
E	2½in. x 2½in. x 106in. Corner Post	73009253	5696188
F	2½in. x 2½in. x 106in. End Post	73009254	5696191
G	2½in. x 2½in. x 106in. Gate Post	73009255	5696187




6x8 New Haven Heavy Duty - Black



All aluminum posts include pyramid post top and screws.
For additional post top styles, gate hardware and accessories see page 57-62.
For drive gate information and additional gate sizes see page 39.
*Color-matched butterfly hinges included with all gate kits.


4x6 Hampshire Standard

- 1 in. x 1 in. rails
- 5⁄8 in. pickets / 3-7⁄8 in. picket spacing
- Use wall brackets to step panel along varied terrain




Panel and Gates		Actual Size	Black Model #	SOS#
A	4x6 Hampshire Standard Panel	47in. H x 72-5⁄16in. W	73050576	4967910
B	4ft. x 4ft. Hampshire Standard Straight Gate*	48-1⁄2in. H x 46-1⁄2in. W	73050577	4967911
C	4ft. x 5ft. Hampshire Standard Straight Gate*	48-1⁄2in. H x 58-1⁄2in. W	73050578	4967912

Posts		Black Model #	SOS#
D	2in. x 2in. x 70in. Line Post	73002255	384515
E	2in. x 2in. x 70in. Corner Post	73002256	384516
F	2in. x 2in. x 70in. End Post	73002257	384517
G	2in. x 2in. x 70in. Gate Post	73002258	384518
H	2in. x 2in. x 106in. Blank Post	73002392	384527
I	5⁄8" Wall Bracket Kit (3 Pack) Standard	73013011	384825




54"x6 New Hampshire Standard - Black



All aluminum posts include pyramid post top and screws.
For additional post top styles, gate hardware and accessories see page 57-62.
For drive gate information and additional gate sizes see page 39.
*Color-matched butterfly hinges included with all gate kits.

4-½x6 Hampshire Standard

- 1 in. x 1 in. rails
- ⅝ in. pickets / 3-⅞ in. picket spacing
- Use wall brackets to step panel along varied terrain




Panel and Gates		Actual Size	Black Model #	SOS#
A	54x6 Hampshire Standard Panel	54in. H x 72-⅝in. W	73050579	4967913
B	54in. x 4ft. Hampshire Standard Straight Gate*	55-½in. H x 46-½in. W	73050580	4967914
C	54in. x 5ft. Hampshire Standard Straight Gate*	55-½in. H x 58-½in. W	73050581	4967915

Posts		Black Model #	SOS#
D	2in. x 2in. x 82in. Line Post	73002387	384526
E	2in. x 2in. x 82in. Corner Post	73002380	384523
F	2in. x 2in. x 82in. End Post	73002383	384524
G	2in. x 2in. x 82in. Gate Post	73002385	384525
H	2in. x 2in. x 106in. Blank Post	73002392	384527
I	⅝" Wall Bracket Kit (3 Pack) Standard	73013011	384825


5x6 Hampshire Standard

- 1 in. x 1 in. rails
- ⅝ in. pickets / 3-⅞ in. picket spacing
- Use wall brackets to step panel along varied terrain



Panel and Gates		Actual Size	Black Model #	SOS#
A	5x6 Hampshire Standard Panel	59in. H x 72-⅝in. W	73050582	4967916
B	5ft. x 4ft. Hampshire Standard Straight Gate*	60-½in. H x 46-½in. W	73050583	4967917
C	5ft. x 5ft. Hampshire Standard Straight Gate*	60-½in. H x 58-½in. W	73050584	4967918


Posts		Black Model #	SOS#
D	2in. x 2in. x 88in. Line Post	73002265	384519
E	2in. x 2in. x 88in. Corner Post	73002266	384520
F	2in. x 2in. x 88in. End Post	73002267	384521
G	2in. x 2in. x 88in. Gate Post	73002268	384522
H	2in. x 2in. x 106in. Blank Post	73002392	384527
I	⅝" Wall Bracket Kit (3 Pack) Standard	73013011	384825



All aluminum posts include pyramid post top and screws.
 For additional post top styles, gate hardware and accessories see page 57-62.
 For drive gate information and additional gate sizes see page 39.
 *Color-matched butterfly hinges included with all gate kits.

4x6 Sydney Standard

- 1 in. x 1 in. rails
- Puppy picket extends 18" up from the bottom of panel




Panel and Gates		Actual Size	Black Model #	SOS#
A	4x6 Sydney Standard Panel	46-3⁄4in. H x 72-5⁄16in. W	73020845	5971494
B	4ft. x 4ft. Sydney Standard Straight Gate*	48-1⁄2in. H x 46-1⁄2in. W	73020847	5696146
C	4ft. x 4ft. Sydney Standard Arched Gate*	48-1⁄2in. H x 58-1⁄2in. W	73020846	5696144

Posts		Black Model #	SOS#
D	2in. x 2in. x 70in. Line Post	73020991	5696186
E	2in. x 2in. x 70in. Corner Post	73020992	5696184
F	2in. x 2in. x 70in. End Post	73020993	5696182
G	2in. x 2in. x 70in. Gate Post	73020994	5696185




4x6 Sydney Standard - Black



All aluminum posts include pyramid post top and screws.
For additional post top styles, gate hardware and accessories see page 57-62.
For drive gate information and additional gate sizes see page 39.
*Color-matched butterfly hinges included with all gate kits.


4x6 Sheffield Standard

- 1 in. x 1 in. rails
- 5⁄8 in. pickets / 1-5⁄8 in. picket spacing




Panel and Gates		Actual Size	Black Model #	SOS#
A	4x6 Sheffield Standard Panel	47in. H x 72-5⁄16in. W	73008840	548111
B	4ft. x 4ft. Sheffield Standard Straight Gate*	48-1⁄2in. H x 46-1⁄2in. W	73009495	548086
C	4ft. x 4ft. Sheffield Standard Arched Gate*	48-1⁄2in. H x 46-1⁄2in. W	73009492	548071

Posts		Black Model #	SOS#
D	2in. x 2in. x 70in. Line Post	73002255	384515
E	2in. x 2in. x 70in. Corner Post	73002256	384516
F	2in. x 2in. x 70in. End Post	73002257	384517
G	2in. x 2in. x 70in. Gate Post	73002258	384518
H	2in. x 2in. x 106in. Blank Post	73002392	384527




Children & Pet Safe
Double picket panels are perfect for kids and pets



All aluminum posts include pyramid post top and screws.
For additional post top styles, gate hardware and accessories see page 57-62.
For drive gate information and additional gate sizes see page 39.
*Color-matched butterfly hinges included with all gate kits.


4-1/2x6 Sheffield Standard

- 1 in. x 1 in. rails
- 5/8 in. pickets / 1-5/8 in. picket spacing



Panel and Gates		Actual Size	Black Model #	SOS#
A	4-1/2x6 Sheffield Standard Panel	54in. H x 72-5/16in. W	73008841	548087
B	4-1/2ft. x 4ft. Sheffield Standard Straight Gate*	55-1/2in. H x 46-1/2in. W	73009501	548108
C	4-1/2ft. x 4ft. Sheffield Standard Arched Gate*	55-1/2in. H x 46-1/2in. W	73009498	548104

Posts		Black Model #	SOS#
D	2in. x 2in. x 82in. Line Post	73002387	384526
E	2in. x 2in. x 82in. Corner Post	73002380	384523
F	2in. x 2in. x 82in. End Post	73002383	384524
G	2in. x 2in. x 82in. Gate Post	73002385	384525
H	2in. x 2in. x 106in. Blank Post	73002392	384527



All aluminum posts include pyramid post top and screws.
For additional post top styles, gate hardware and accessories see page 57-62.
For drive gate information and additional gate sizes see page 39.
*Color-matched butterfly hinges included with all gate kits.


Aluminum Fencing Double Drive Gates

Security, Accessibility and Style.

Freedom® drive gates are available in styles to match and complement all Freedom® aluminum fencing. Drive gates include all the same features and benefits as their matching panels and are available in straight or arched tops to allow your gate to blend in or stand out.

Review the How to Measure and Example guides on page 41-42 for assistance in determining the right gate size and style for your needs.

All our products are backed by our Transferable Limited Lifetime Warranty.



Providence Heavy-Duty Arched - Black


DRIVE GATES ARE AVAILABLE WITH A 21 DAY LEAD TIME. IT IS IMPORTANT TO NOTE, WHEN ADDING A DRIVE GATE TO YOUR ALUMINUM FENCE PROJECT ORDER, YOUR ENTIRE ORDER (INCLUDING PANELS, POSTS, GATES AND ACCESSORIES) WILL SHIP TO ARRIVE IN 21 DAYS.

Freedom® Drive Gates

1. Style


Gate styles match Freedom® aluminum fence panels and are available in straight, arched and estate styles. All drive gates include color- matched butterfly hinges.

- **Straight** gates consist of 1 gate panel per sku and can be ordered individually if desired. (Must order 2 straight gate panels to create a drive gate)
- **Arched and Estate** gates cannot be ordered individually and include 2 gate panels per sku.




2. Quality

Gate assembly is fully-welded for strength and durability.



3. Color

Gates are available in colors to match Freedom fence panels and include color matched butterfly gate hinges. Not all styles available in all colors.




How to Measure

When measuring for your double drive gate, there are a few important things to take into account.

- Make sure to leave enough space for gate hardware (hinges, latches or automatic openers)*
- Measure for post spacing:
 1. Add the width of your two gate panels together
 2. Take gate hardware into account (hinges, latch, drop rod, etc.) and refer to specifications for required spacing
 3. Add steps 1 & 2 together and you have determined the amount of space to leave between your posts for your gate install

- 2** Allow 1/2-in minimum distance between post and gate upright on each side for butterfly hinges and appropriate spacing between inside uprights for latch and/or drop rod




*When using blank posts, use aluminum brackets to attach fence to post.
See page 56 for bracket listing.*

***Note:** If choosing an automatic gate opener, contact the manufacturer to find out the specific spacing requirements needed or if they require any additional reinforcements in order to function. Make sure that you communicate to the manufacturer the type of gate you are thinking of purchasing to confirm their opener will work with your gate.

Drive Gate Specs

Height Features

- 3-ft, 4-ft, 5-ft and 6-ft heights feature a picket bottom style to match panel styles (as shown in A)
- 4½-ft heights feature a flush bottom to match panel styles (as shown in B)




Width Features

Standard

- Double drive gates in 6-ft, 8-ft and 10-ft widths are constructed using the same materials as our current Freedom gates: 1-in x 1-in rails, 5/8-in x 5/8-in pickets and 1½-in x 1½-in gate uprights (as shown on page 40)
- 6-ft wide single gates and 12-ft wide double drive gates are constructed using the same materials as our current Freedom gates, but use a heavier duty 2-in x 2-in 'U' framing on 3 sides of the gate - left, right (uprights) and bottom (flush bottom) (as shown in C)

Heavy Duty


- Double drive gates in 6-ft, 8-ft and 10-ft widths are constructed using the same materials as our current Freedom gates: 1⅝-in x 1½-in rails, ¾-in x ¾-in pickets and 1½-in x 1½-in gate uprights (as shown on page 40)
- 6-ft wide single gates and 12-ft wide double drive gates are constructed using the same materials as our current Freedom gates, but use a heavier duty 2-in x 2-in 'U' framing on 3 sides of the gate - left, right (uprights) and bottom (flush bottom) (as shown in C)



Concord - Straight

Must Purchase 2 of Each SKU For Double Gate

May Order Individual Gates if Desired



Standard

- 1 in. x 1 in. rails
- 1-1/2 in. x 1-1/2 in. gate uprights
- 5/8 in. x 5/8 in. pickets

Drive Gates	Actual Size Per Panel	Black Model #	SOS#
A 4ft. x 3ft. Concord Standard Straight Gate	48-1/2in. H x 34-1/2in. W	73009524	670578
A 4ft. x 4ft. Concord Standard Straight Gate	48-1/2in. H x 46-1/2in. W	73009525	384475
A 4ft. x 5ft. Concord Standard Straight Gate	48-1/2in. H x 58-1/2in. W	73009526	670579
C 4ft. x 6ft. Concord Standard Straight Gate	48-1/2in. H x 70-1/2in. W	73015232	670580
A 5ft. x 3ft. Concord Standard Straight Gate	60-1/2in. H x 34-1/2in. W	73009536	670581
A 5ft. x 4ft. Concord Standard Straight Gate	60-1/2in. H x 46-1/2in. W	73009537	384479
A 5ft. x 5ft. Concord Standard Straight Gate	60-1/2in. H x 58-1/2in. W	73009538	670582
C 5ft. x 6ft. Concord Standard Straight Gate	60-1/2in. H x 70-1/2in. W	73015248	670583

Drive Gates	Actual Size Per Panel	Black Model #	SOS#
B 4-1/2ft. x 3ft. Concord Standard Straight Gate	55-1/2in. H x 34-1/2in. W	73009530	670584
B 4-1/2ft. x 4ft. Concord Standard Straight Gate	55-1/2in. H x 46-1/2in. W	73009531	384477
B 4-1/2ft. x 5ft. Concord Standard Straight Gate	55-1/2in. H x 58-1/2in. W	73009532	670590
C 4-1/2ft. x 6ft. Concord Standard Straight Gate	56-1/2in. H x 70-1/2in. W	73015240	670594

Heavy-Duty

- 1-3/16 in. x 1-1/2 in. rails
- 1-1/2 in. x 1-1/2 in. gate uprights
- 3/4 in. x 3/4 in. pickets

Drive Gates	Actual Size Per Panel	Black Model #	SOS#
B 4-1/2ft. x 3ft. Concord Heavy Duty Straight Gate	56in. H x 34-1/2in. W	73010335	670601
B 4-1/2ft. x 4ft. Concord Heavy Duty Straight Gate	56in. H x 46-1/2in. W	73010336	384497
B 4-1/2ft. x 5ft. Concord Heavy Duty Straight Gate	56in. H x 58-1/2in. W	73010337	670602
C 4-1/2ft. x 6ft. Concord Heavy Duty Straight Gate	56-1/2in. H x 70-1/2in. W	73016360	670603
A 5ft. x 3ft. Concord Heavy Duty Straight Gate	60-1/2in. H x 34-1/2in. W	73010341	670598
A 5ft. x 4ft. Concord Heavy Duty Straight Gate	60-1/2in. H x 46-1/2in. W	73010342	384501
A 5ft. x 5ft. Concord Heavy Duty Straight Gate	60-1/2in. H x 58-1/2in. W	73010343	670599
C 5ft. x 6ft. Concord Heavy Duty Straight Gate	60-1/2in. H x 70-1/2in. W	73016368	670600




4in. x 4in. aluminum posts include pyramid post top and screws, available on page 57 – Recommended for use on double drive gates greater than 12-ft. wide. Color-matched butterfly hinges included with all gate kits.

- A** 3-ft, 4-ft, 5-ft and 6-ft heights feature a picket bottom style to match panel styles
- B** 4-1/2-ft heights feature a flush bottom to match panel styles
- C** 6-ft wide single gates & 12-ft wide double drive gates use 2-in x 2-in 'U' framing

Concord - Arch

Includes 2 Panels Per SKU



Standard

- 1 in. x 1 in. rails
- 1-1/2 in. x 1-1/2 in. gate uprights
- 5/8 in. x 5/8 in. pickets

Drive Gates	Actual Size Per Panel	Height at Arch	Black Model #	SOS#
A 4ft. x 6ft. Concord Standard Arch Gate	48-1/2in. H x 34-1/2in. W	56-1/2in.	73015412	403893
A 4ft. x 8ft. Concord Standard Arch Gate	48-1/2in. H x 46-1/2in. W	56-1/2in.	73015644	403919
A 4ft. x 10ft. Concord Standard Arch Gate	48-1/2in. H x 58-1/2in. W	60-1/2in.	73015908	404018
C 4ft. x 12ft. Concord Standard Arch Gate	48-1/2in. H x 70-1/2in. W	60-1/2in.	73016164	403951
A 5ft. x 6ft. Concord Standard Arch Gate	60-1/2in. H x 34-1/2in. W	68-1/2in.	73015420	403976
A 5ft. x 8ft. Concord Standard Arch Gate	60-1/2in. H x 46-1/2in. W	68-1/2in.	73015660	403924
A 5ft. x 10ft. Concord Standard Arch Gate	60-1/2in. H x 58-1/2in. W	72-1/2in.	73015924	404021
C 5ft. x 12ft. Concord Standard Arch Gate	60-1/2in. H x 70-1/2in. W	72-1/2in.	73016180	403956
Drive Gates	Actual Size Per Panel	Height at Arch	Black Model #	SOS#
B 4-1/2ft. x 6ft. Concord Standard Arch Gate	55-1/2in. H x 34-1/2in. W	63-1/2in.	73015416	403965
B 4-1/2ft. x 8ft. Concord Standard Arch Gate	55-1/2in. H x 46-1/2in. W	63-1/2in.	73015652	404013
B 4-1/2ft. x 10ft. Concord Standard Arch Gate	55-1/2in. H x 58-1/2in. W	67-1/2in.	73015916	403930
C 4-1/2ft. x 12ft. Concord Standard Arch Gate	56-1/2in. H x 70-1/2in. W	68-1/2in.	73016172	404039

Heavy-Duty

- 1-3/16 in. x 1-1/2 in. rails
- 1-1/2 in. x 1-1/2 in. gate uprights
- 3/4 in. x 3/4 in. pickets

Drive Gates	Actual Size Per Panel	Height at Arch	Black Model #	SOS#
B 4-1/2ft. x 6ft. Concord Heavy Duty Arch Gate	56in. H x 34-1/2in. W	64in.	73016712	404001
B 4-1/2ft. x 8ft. Concord Heavy Duty Arch Gate	56in. H x 46-1/2in. W	64in.	73016844	403969
B 4-1/2ft. x 10ft. Concord Heavy Duty Arch Gate	56in. H x 58-1/2in. W	68in.	73016988	403939
C 4-1/2ft. x 12ft. Concord Heavy Duty Arch Gate	56-1/2in. H x 70-1/2in. W	68-1/2in.	73017124	404040
A 5ft. x 6ft. Concord Heavy Duty Arch Gate	60-1/2in. H x 34-1/2in. W	68-1/2in.	73016716	403908
A 5ft. x 8ft. Concord Heavy Duty Arch Gate	60-1/2in. H x 46-1/2in. W	68-1/2in.	73016852	403885
A 5ft. x 10ft. Concord Heavy Duty Arch Gate	60-1/2in. H x 58-1/2in. W	72-1/2in.	73016996	404022
C 5ft. x 12ft. Concord Heavy Duty Arch Gate	60-1/2in. H x 70-1/2in. W	72-1/2in.	73017132	403948



4in. x 4in. aluminum posts include pyramid post top and screws, available on page 57 – Recommended for use on double drive gates greater than 12-ft. wide. Color-matched butterfly hinges included with all gate kits.


A 3-ft, 4-ft, 5-ft and 6-ft heights feature a picket bottom style to match panel styles

B 4-1/2-ft heights feature a flush bottom to match panel styles

C 6-ft wide single gates & 12-ft wide double drive gates use 2-in x 2-in 'U' framing

Concord - Estate

Includes 2 Panels Per SKU



Standard

- 1 in. x 1 in. rails
- 1-½ in. x 1-½ in. gate uprights
- ⅝ in. x ⅝ in. pickets

Double Drive Gates	Actual Size Per Panel	Height at Arch	Black Model #	SOS#
A 4ft. x 8ft. Concord Standard Estate Gate	48-½in. H x 46-½in. W	56-½in.	73015648	779468
A 4ft. x 10ft. Concord Standard Estate Gate	48-½in. H x 58-½in. W	60-½in.	73015912	779479
C 4ft. x 12ft. Concord Standard Estate Gate	48-½in. H x 70-½in. W	60-½in.	73016168	779472
A 5ft. x 8ft. Concord Standard Estate Gate	60-½in. H x 46-½in. W	68-½in.	73015664	779425
A 5ft. x 10ft. Concord Standard Estate Gate	60-½in. H x 58-½in. W	72-½in.	73015928	779437
C 5ft. x 12ft. Concord Standard Estate Gate	60-½in. H x 70-½in. W	72-½in.	73016184	779431
Double Drive Gates	Actual Size Per Panel	Height at Arch	Black Model #	SOS#
B 4-½ft. x 8ft. Concord Standard Estate Gate	55-½in. H x 46-½in. W	63-½in.	73015656	779449
B 4-½ft. x 10ft. Concord Standard Estate Gate	55-½in. H x 58-½in. W	67-½in.	73015920	779461
C 4-½ft. x 12ft. Concord Standard Estate Gate	56-½in. H x 70-½in. W	68-½in.	73016176	779455

Heavy-Duty

- 1-⅜ in. x 1-½ in. rails
- 1-½ in. x 1-½ in. gate uprights
- ¾ in. x ¾ in. pickets

Double Drive Gates	Actual Size Per Panel	Height at Arch	Black Model #	SOS#
B 4-½ft. x 8ft. Concord Heavy Duty Estate Gate	56in. H x 46-½in. W	64in.	73016848	779439
B 4-½ft. x 10ft. Concord Heavy Duty Estate Gate	56in. H x 58-½in. W	68in.	73016992	779443
C 4-½ft. x 12ft. Concord Heavy Duty Estate Gate	56-½in. H x 70-½in. W	68-½in.	73017128	779441
A 5ft. x 8ft. Concord Heavy Duty Estate Gate	60-½in. H x 46-½in. W	68-½in.	73016856	779424
A 5ft. x 10ft. Concord Heavy Duty Estate Gate	60-½in. H x 58-½in. W	72-½in.	73017000	779436
C 5ft. x 12ft. Concord Heavy Duty Estate Gate	60-½in. H x 70-½in. W	72-½in.	73017136	779430




4in. x 4in. aluminum posts include pyramid post top and screws, available on page 57 – Recommended for use on double drive gates greater than 12-ft. wide. Color-matched butterfly hinges included with all gate kits.

- A 3-ft, 4-ft, 5-ft and 6-ft heights feature a picket bottom style to match panel styles
- B 4½-ft heights feature a flush bottom to match panel styles
- C 6-ft wide single gates & 12-ft wide double drive gates use 2-in x 2-in 'U' framing

New Haven - Straight

Must Purchase 2 of Each SKU For Double Gate

May Order Individual Gates if Desired



Standard

- 1 in. x 1 in. rails
- 1-½ in. x 1-½ in. gate uprights
- ⅝ in. x ⅝ in. pickets

Drive Gates	Actual Size Per Panel	Black Model #	SOS#	Pewter Model #	SOS#
A 4ft. x 3ft. New Haven Standard Straight Gate	48-½in. H x 34-½in. W	73009464	670610	73009683	5696216
A 4ft. x 4ft. New Haven Standard Straight Gate	48-½in. H x 46-½in. W	73009465	384465	73009684	5696217
A 4ft. x 5ft. New Haven Standard Straight Gate	48-½in. H x 58-½in. W	73009466	670611	73009685	5696215
C 4ft. x 6ft. New Haven Standard Straight Gate	48-½in. H x 70-½in. W	73015152	670612	73015153	5696213
A 5ft. x 3ft. New Haven Standard Straight Gate	60-½in. H x 34-½in. W	73009476	670613	•	•
A 5ft. x 4ft. New Haven Standard Straight Gate	60-½in. H x 46-½in. W	73009477	384470	•	•
A 5ft. x 5ft. New Haven Standard Straight Gate	60-½in. H x 58-½in. W	73009478	670614	•	•
C 5ft. x 6ft. New Haven Standard Straight Gate	60-½in. H x 70-½in. W	73015168	670615	•	•
A 6ft. x 3ft. New Haven Standard Straight Gate	72-½in. H x 34-½in. W	73009482	670616	•	•
A 6ft. x 4ft. New Haven Standard Straight Gate	72-½in. H x 46-½in. W	73009483	384472	•	•
A 6ft. x 5ft. New Haven Standard Straight Gate	72-½in. H x 58-½in. W	73009484	670617	•	•
C 6ft. x 6ft. New Haven Standard Straight Gate	72-½in. H x 70-½in. W	73015176	670618	•	•

Drive Gates	Actual Size Per Panel	Black Model #	SOS#	Pewter Model #	SOS#	White Model #	SOS#
B 4-½ft. x 3ft. New Haven Standard Straight Gate	55-½in. H x 34-½in. W	73009470	670619	73009689	670620	73009908	670622
B 4-½ft. x 4ft. New Haven Standard Straight Gate	55-½in. H x 46-½in. W	73009471	384468	73009690	384482	73009909	384486
B 4-½ft. x 5ft. New Haven Standard Straight Gate	55-½in. H x 58-½in. W	73009472	670624	73009691	670625	73009910	670627
C 4-½ft. x 6ft. New Haven Standard Straight Gate	56-½in. H x 70-½in. W	73015160	670628	73015161	670629	73015162	670631




4in. x 4in. aluminum posts include pyramid post top and screws, available on page 57 – Recommended for use on double drive gates greater than 12-ft. wide. Color-matched butterfly hinges included with all gate kits.

- A 3-ft, 4-ft, 5-ft and 6-ft heights feature a picket bottom style to match panel styles
- B 4½-ft heights feature a flush bottom to match panel styles
- C 6-ft wide single gates & 12-ft wide double drive gates use 2-in x 2-in 'U' framing

New Haven - Straight

Must Purchase 2 of Each SKU For Double Gate

May Order Individual Gates if Desired



Heavy-Duty

- 1-³/₁₆ in. x 1-¹/₂ in. rails
- 1-¹/₂ in. x 1-¹/₂ in. gate uprights
- ³/₄ in. x ³/₄ in. pickets

Drive Gates	Actual Size Per Panel	Black Model #	SOS#
A 4ft. x 3ft. New Haven Heavy Duty Straight Gate	48- ¹ / ₂ in. H x 34- ¹ / ₂ in. W	73010305	5696204
A 4ft. x 4ft. New Haven Heavy Duty Straight Gate	48- ¹ / ₂ in. H x 46- ¹ / ₂ in. W	73010306	5696203
A 4ft. x 5ft. New Haven Heavy Duty Straight Gate	48- ¹ / ₂ in. H x 58- ¹ / ₂ in. W	73010307	5696202
C 4ft. x 6ft. New Haven Heavy Duty Straight Gate	48- ¹ / ₂ in. H x 70- ¹ / ₂ in. W	73016320	5696200
A 5ft. x 3ft. New Haven Heavy Duty Straight Gate	60- ¹ / ₂ in. H x 34- ¹ / ₂ in. W	73010317	670632
A 5ft. x 4ft. New Haven Heavy Duty Straight Gate	60- ¹ / ₂ in. H x 46- ¹ / ₂ in. W	73010318	391022
A 5ft. x 5ft. New Haven Heavy Duty Straight Gate	60- ¹ / ₂ in. H x 58- ¹ / ₂ in. W	73010319	670633
C 5ft. x 6ft. New Haven Heavy Duty Straight Gate	60- ¹ / ₂ in. H x 70- ¹ / ₂ in. W	73016336	670634
A 6ft. x 3ft. New Haven Heavy Duty Straight Gate	72- ¹ / ₂ in. H x 34- ¹ / ₂ in. W	73010323	5696167
A 6ft. x 4ft. New Haven Heavy Duty Straight Gate	72- ¹ / ₂ in. H x 46- ¹ / ₂ in. W	73010324	5696166
A 6ft. x 5ft. New Haven Heavy Duty Straight Gate	72- ¹ / ₂ in. H x 58- ¹ / ₂ in. W	73010325	5696163
C 6ft. x 6ft. New Haven Heavy Duty Straight Gate	72- ¹ / ₂ in. H x 70- ¹ / ₂ in. W	73016344	5696164

Drive Gates	Actual Size Per Panel	Black Model #	SOS#
B 4- ¹ / ₂ ft. x 3ft. New Haven Heavy Duty Straight Gate	56in. H x 34- ¹ / ₂ in. W	73010311	670635
B 4- ¹ / ₂ ft. x 4ft. New Haven Heavy Duty Straight Gate	56in. H x 46- ¹ / ₂ in. W	73010312	391015
B 4- ¹ / ₂ ft. x 5ft. New Haven Heavy Duty Straight Gate	56in. H x 58- ¹ / ₂ in. W	73010313	670636
C 4- ¹ / ₂ ft. x 6ft. New Haven Heavy Duty Straight Gate	56- ¹ / ₂ in. H x 70- ¹ / ₂ in. W	73016328	670637




4in. x 4in. aluminum posts include pyramid post top and screws, available on page 57 – Recommended for use on double drive gates greater than 12-ft. wide. Color-matched butterfly hinges included with all gate kits.

- A 3-ft, 4-ft, 5-ft and 6-ft heights feature a picket bottom style to match panel styles
- B 4-¹/₂-ft heights feature a flush bottom to match panel styles
- C 6-ft wide single gates & 12-ft wide double drive gates use 2-in x 2-in 'U' framing

New Haven - Arch

Includes 2 Panels Per SKU



Standard

- 1 in. x 1 in. rails
- 1-½ in. x 1-½ in. gate uprights
- ⅝ in. x ⅝ in. pickets

Double Drive Gates	Actual Size Per Panel	Black Model #	SOS#	Pewter Model #	SOS#
A 4ft. x 6ft. New Haven Standard Arch Gate	48-½in. H x 34-½in. W	73015372	403916	73015373	5696210
A 4ft. x 8ft. New Haven Standard Arch Gate	48-½in. H x 46-½in. W	73015572	404043	73015573	5696212
A 4ft. x 10ft. New Haven Standard Arch Gate	48-½in. H x 58-½in. W	73015836	403958	73015837	5696209
C 4ft. x 12ft. New Haven Standard Arch Gate	48-½in. H x 70-½in. W	73016092	403902	73016093	5696205
A 5ft. x 6ft. New Haven Standard Arch Gate	60-½in. H x 34-½in. W	73015380	404002	•	•
A 5ft. x 8ft. New Haven Standard Arch Gate	60-½in. H x 46-½in. W	73015588	403934	•	•
A 5ft. x 10ft. New Haven Standard Arch Gate	60-½in. H x 58-½in. W	73015852	403967	•	•
C 5ft. x 12ft. New Haven Standard Arch Gate	60-½in. H x 70-½in. W	73016108	403944	•	•
A 6ft. x 6ft. New Haven Standard Arch Gate	72-½in. H x 34-½in. W	73015384	403917	•	•
A 6ft. x 8ft. New Haven Standard Arch Gate	72-½in. H x 46-½in. W	73015596	404035	•	•
A 6ft. x 10ft. New Haven Standard Arch Gate	72-½in. H x 58-½in. W	73015860	403898	•	•
C 6ft. x 12ft. New Haven Standard Arch Gate	72-½in. H x 70-½in. W	73016116	404028	•	•

Double Drive Gates	Actual Size Per Panel	Height at Arch	Black Model #	SOS#	Pewter Model #	SOS#	White Model #	SOS#
B 4-½ft. x 6ft. New Haven Standard Arch Gate	55-½in. H x 34-½in. W	63-½in.	73015376	404000	73015377	404007	73015378	670621
B 4-½ft. x 8ft. New Haven Standard Arch Gate	55-½in. H x 46-½in. W	63-½in.	73015580	403950	73015581	403978	73015582	670623
B 4-½ft. x 10ft. New Haven Standard Arch Gate	55-½in. H x 58-½in. W	67-½in.	73015844	403889	73015845	403907	73015846	670626
C 4-½ft. x 12ft. New Haven Standard Arch Gate	56-½in. H x 70-½in. W	68-½in.	73016100	403947	73016101	403973	73016102	670630




4in. x 4in. aluminum posts include pyramid post top and screws, available on page 57 – Recommended for use on double drive gates greater than 12-ft. wide. Color-matched butterfly hinges included with all gate kits.

- A 3-ft, 4-ft, 5-ft and 6-ft heights feature a picket bottom style to match panel styles
- B 4½-ft heights feature a flush bottom to match panel styles
- C 6-ft wide single gates & 12-ft wide double drive gates use 2-in x 2-in 'U' framing

New Haven - Arch

Includes 2 Panels Per SKU



Heavy-Duty

- 1-³/₁₆ in. x 1-¹/₂ in. rails
- 1-¹/₂ in. x 1-¹/₂ in. gate uprights
- ³/₄ in. x ³/₄ in. pickets

	Double Drive Gates	Actual Size Per Panel	Height at Arch	Black Model #	SOS#
A	4ft. x 8ft. New Haven Heavy Duty Arched Gate	48- ¹ / ₂ in. H x 46- ¹ / ₂ in. W	56- ¹ / ₂ in.	73016804	5696156
A	4ft. x 10ft. New Haven Heavy Duty Arched Gate	48- ¹ / ₂ in. H x 58- ¹ / ₂ in. W	56- ¹ / ₂ in.	73016948	5696196
C	4ft. x 12ft. New Haven Heavy Duty Arched Gate	48- ¹ / ₂ in. H x 70- ¹ / ₂ in. W	56- ¹ / ₂ in.	73017084	5696198
B	4- ¹ / ₂ ft. x 6ft. New Haven Heavy Duty Arched Gate	56in. H x 34- ¹ / ₂ in. W	64in.	73016696	404009
B	4- ¹ / ₂ ft. x 8ft. New Haven Heavy Duty Arched Gate	56in. H x 46- ¹ / ₂ in. W	64in.	73016812	403886
B	4- ¹ / ₂ ft. x 10ft. New Haven Heavy Duty Arched Gate	56in. H x 58- ¹ / ₂ in. W	68in.	73016956	404023
C	4- ¹ / ₂ ft. x 12ft. New Haven Heavy Duty Arched Gate	56in. H x 70- ¹ / ₂ in. W	68- ¹ / ₂ in.	73017092	403983
A	5ft. x 6ft. New Haven Heavy Duty Arched Gate	60- ¹ / ₂ in. H x 34- ¹ / ₂ in. W	68- ¹ / ₂ in.	73016700	403997
A	5ft. x 8ft. New Haven Heavy Duty Arched Gate	60- ¹ / ₂ in. H x 46- ¹ / ₂ in. W	68- ¹ / ₂ in.	73016820	403963
A	5ft. x 10ft. New Haven Heavy Duty Arched Gate	60- ¹ / ₂ in. H x 58- ¹ / ₂ in. W	72- ¹ / ₂ in.	73016964	403932
C	5ft. x 12ft. New Haven Heavy Duty Arched Gate	60- ¹ / ₂ in. H x 70- ¹ / ₂ in. W	72- ¹ / ₂ in.	73017100	404034
A	6ft. x 8ft. New Haven Heavy Duty Arch Gate	72- ¹ / ₂ in. H x 46- ¹ / ₂ in. W	80- ¹ / ₂ in.	73016828	5696159
A	6ft. x 10ft. New Haven Heavy Duty Arch Gate	72- ¹ / ₂ in. H x 58- ¹ / ₂ in. W	80- ¹ / ₂ in.	73016972	5696153
C	6ft. x 12ft. New Haven Heavy Duty Arch Gate	72- ¹ / ₂ in. H x 70- ¹ / ₂ in. W	80- ¹ / ₂ in.	73017108	5696151




4in. x 4in. aluminum posts include pyramid post top and screws, available on page 57 – Recommended for use on double drive gates greater than 12-ft. wide. Color-matched butterfly hinges included with all gate kits.

- A 3-ft, 4-ft, 5-ft and 6-ft heights feature a picket bottom style to match panel styles
- B 4-¹/₂-ft heights feature a flush bottom to match panel styles
- C 6-ft wide single gates & 12-ft wide double drive gates use 2-in x 2-in 'U' framing

New Haven - Estate

Includes 2 Panels Per SKU



Standard

- 1 in. x 1 in. rails
- 1-1/2 in. x 1-1/2 in. gate uprights
- 5/8 in. x 5/8 in. pickets

Double Drive Gates			Actual Size Per Panel	Height at Arch	Black Model #	SOS#	Pewter Model #	SOS#		
A	4ft. x 8ft. New Haven Standard Estate Gate		48-½in. H x 46-½in. W	56-½in.	73015576	779463	73015577	5696208		
A	4ft. x 10ft. New Haven Standard Estate Gate		48-½in. H x 58-½in. W	60-½in.	73015840	779474	73015841	5696211		
C	4ft. x 12ft. New Haven Standard Estate Gate		48-½in. H x 70-½in. W	60-½in.	73016096	779470	73016097	5696207		
A	5ft. x 8ft. New Haven Standard Estate Gate		60-½in. H x 46-½in. W	68-½in.	73015592	779421	•	•		
A	5ft. x 10ft. New Haven Standard Estate Gate		60-½in. H x 58-½in. W	72-½in.	73015856	779433	•	•		
C	5ft. x 12ft. New Haven Standard Estate Gate		60-½in. H x 70-½in. W	72-½in.	73016112	779427	•	•		
A	6ft. x 8ft. New Haven Standard Estate Gate		72-½in. H x 46-½in. W	80-½in.	73015600	779415	•	•		
A	6ft. x 10ft. New Haven Standard Estate Gate		72-½in. H x 58-½in. W	84-½in.	73015864	779419	•	•		
C	6ft. x 12ft. New Haven Standard Estate Gate		72-½in. H x 70-½in. W	84-½in.	73016120	779417	•	•		
Double Drive Gates			Actual Size Per Panel	Height at Arch	Black Model #	SOS#	Pewter Model #	SOS#	White Model #	SOS#
B	4-½ft. x 8ft. New Haven Standard Estate Gate		55-½in. H x 46-½in. W	63-½in.	73015584	779446	73015585	779445	73015586	779444
B	4-½ft. x 10ft. New Haven Standard Estate Gate		55-½in. H x 58-½in. W	67-½in.	73015848	779458	73015849	779457	73015850	779456
C	4-½ft. x 12ft. New Haven Standard Estate Gate		56-½in. H x 70-½in. W	68-½in.	73016104	779452	73016105	779451	73016106	779450

Heavy-Duty

- 1-3/16 in. x 1-1/2 in. rails
- 1-1/2 in. x 1-1/2 in. gate uprights
- 3/4 in. x 3/4 in. pickets

Double Drive Gates	Actual Size Per Panel	Height at Arch	Black Model #	SOS#
A 4-ft. x 8ft. New Haven Heavy Duty Estate Gate	48-1/2in. H x 46-1/2in. W	56-1/2in.	73016808	5696201
A 4ft. x 10ft. New Haven Heavy Duty Estate Gate	48-1/2in. H x 58-1/2in. W	60-1/2in.	73016952	5696199
C 4ft. x 12ft. New Haven Heavy Duty Estate Gate	48-1/2in. H x 70-1/2in. W	60-1/2in.	73017088	5696197
B 4-1/2ft. x 8ft. New Haven Heavy Duty Estate Gate	56in. H x 46-1/2in. W	64in.	73016816	779438
B 4-1/2ft. x 10ft. New Haven Heavy Duty Estate Gate	56in. H x 58-1/2in. W	68in.	73016960	779442
C 4-1/2ft. x 12ft. New Haven Heavy Duty Estate Gate	56-1/2in. H x 70-1/2in. W	68-1/2in.	73017096	779440
A 5ft. x 8ft. New Haven Heavy Duty Estate Gate	60-1/2in. H x 46-1/2in. W	68-1/2in.	73016824	779423
A 5ft. x 10ft. New Haven Heavy Duty Estate Gate	60-1/2in. H x 58-1/2in. W	72-1/2in.	73016968	779435
C 5ft. x 12ft. New Haven Heavy Duty Estate Gate	60-1/2in. H x 70-1/2in. W	72-1/2in.	73017104	779429
A 6ft. x 8ft. New Haven Heavy Duty Estate Gate	72-1/2in. H x 46-1/2in. W	80-1/2in.	73016832	5696160
A 6ft. x 10ft. New Haven Heavy Duty Estate Gate	72-1/2in. H x 58-1/2in. W	84-1/2in.	73016976	5696150
C 6ft. x 12ft. New Haven Heavy Duty Estate Gate	72-1/2in. H x 70-1/2in. W	84-1/2in.	73017112	5696149




4in. x 4in. aluminum posts include pyramid post top and screws, available on page 57 – Recommended for use on double drive gates greater than 12-ft. wide. Color-matched butterfly hinges included with all gate kits.

- A 3-ft, 4-ft, 5-ft and 6-ft heights feature a picket bottom style to match panel styles
- B 4-1/2-ft heights feature a flush bottom to match panel styles
- C 6-ft wide single gates & 12-ft wide double drive gates use 2-in x 2-in 'U' framing

Easton - Straight

Must Purchase 2 of Each SKU For Double Gate
May Order Individual Gates if Desired



Standard

- 1 in. x 1 in. rails
- 1-½ in. x 1-½ in. gate uprights
- ⅝ in. x ⅝ in. pickets

Drive Gates		Actual Size Per Panel	Black Model #	SOS#
B	4ft. x 3ft. Easton Standard Straight Gate	49-½in. H x 34-½in. W	73009452	670604
B	4ft. x 4ft. Easton Standard Straight Gate	49-½in. H x 46-½in. W	73009453	384461
B	4ft. x 5ft. Easton Standard Straight Gate	49-½in. H x 58-½in. W	73009454	670605

Heavy-Duty

- 1-⅜ in. x 1-½ in. rails
- ¾ in. x ¾ in. pickets

Drive Gates		Actual Size Per Panel	Black Model #	SOS#
B	4ft. x 3ft. Easton Heavy Duty Straight Gate	50in. H x 34-½in. W	73010299	670606
B	4ft. x 4ft. Easton Heavy Duty Straight Gate	50in. H x 46-½in. W	73010300	384495
B	4ft. x 5ft. Easton Heavy Duty Straight Gate	50in. H x 58-½in. W	73010301	670608




4in. x 4in. aluminum posts include pyramid post top and screws, available on page 57 – Recommended for use on double drive gates greater than 12-ft. wide. Color-matched butterfly hinges included with all gate kits.

- A 3-ft, 4-ft, 5-ft and 6-ft heights feature a picket bottom style to match panel styles
- B 4½-ft heights feature a flush bottom to match panel styles
- C 6-ft wide single gates & 12-ft wide double drive gates use 2-in x 2-in 'U' framing

Easton - Arch

Includes 2 Panels Per SKU



Standard

- 1 in. x 1 in. rails
- 1-1/2 in. x 1-1/2 in. gate uprights
- 5/8 in. x 5/8 in. pickets

	Double Drive Gates	Actual Size Per Panel	Height at Arch	Black Model #	SOS#
B	4ft. x 6ft. Easton Standard Arch Gate	49-1/2in. H x 34-1/2in. W	57-1/2in.	73015364	403996
B	4ft. x 8ft. Easton Standard Arch Gate	49-1/2in. H x 46-1/2in. W	57-1/2in.	73015560	404041
B	4ft. x 10ft. Easton Standard Arch Gate	49-1/2in. H x 58-1/2in. W	61-1/2in.	73015824	403970

Heavy-Duty

- 1-3/16 in. x 1-1/2 in. rails
- 1-1/2 in. x 1-1/2 in. gate uprights
- 3/4 in. x 3/4 in. pickets

	Double Drive Gates	Actual Size Per Panel	Height at Arch	Black Model #	SOS#
B	4ft. x 6ft. Easton Heavy Duty Arch Gate	50in. H x 34-1/2in. W	58in.	73016688	403922
B	4ft. x 8ft. Easton Heavy Duty Arch Gate	50in. H x 46-1/2in. W	58in.	73016796	403914
B	4ft. x 10ft. Easton Heavy Duty Arch Gate	50in. H x 58-1/2in. W	62in.	73016940	403941




4in. x 4in. aluminum posts include pyramid post top and screws, available on page 57 – Recommended for use on double drive gates greater than 12-ft. wide. Color-matched butterfly hinges included with all gate kits.

- A** 3-ft, 4-ft, 5-ft and 6-ft heights feature a picket bottom style to match panel styles
- B** 4 1/2-ft heights feature a flush bottom to match panel styles
- C** 6-ft wide single gates & 12-ft wide double drive gates use 2-in x 2-in 'U' framing

Easton - Estate

Includes 2 Panels Per SKU



Standard

- 1 in. x 1 in. rails
- 1-½ in. x 1-½ in. gate uprights
- ⅝ in. x ⅝ in. pickets

Double Drive Gates	Actual Size Per Panel	Height at Arch	Black Model #	SOS#
B 4ft. x 8ft. Easton Standard Estate Gate	49-½in. H x 46-½in. W	57-½in.	73015564	779467
B 4ft. x 10ft. Easton Standard Estate Gate	49-½in. H x 58-½in. W	61-½in.	73015828	779478

Heavy-Duty

- 1-⅜ in. x 1-½ in. rails
- 1-½ in. x 1-½ in. gate uprights
- ¾ in. x ¾ in. pickets

Double Drive Gates	Actual Size Per Panel	Height at Arch	Black Model #	SOS#
B 4ft. x 8ft. Easton Heavy Duty Estate Gate	50in. H x 46-½in. W	58in.	73016800	779466
B 4ft. x 10ft. Easton Heavy Duty Estate Gate	50in. H x 58-½in. W	62in.	73016944	779477




4in. x 4in. aluminum posts include pyramid post top and screws, available on page 57 – Recommended for use on double drive gates greater than 12-ft. wide. Color-matched butterfly hinges included with all gate kits.

- A** 3-ft, 4-ft, 5-ft and 6-ft heights feature a picket bottom style to match panel styles
- B** 4½-ft heights feature a flush bottom to match panel styles
- C** 6-ft wide single gates & 12-ft wide double drive gates use 2-in x 2-in 'U' framing

Providence - Straight

Must Purchase 2 of Each SKU For Double Gate

May Order Individual Gates if Desired



Standard

- 1 in. x 1 in. rails
- 1-1/2 in. x 1-1/2 in. gate uprights
- 5/8 in. x 5/8 in. pickets

	Drive Gates	Actual Size Per Panel	Black Model #	SOS#
A	4ft. x 3ft. Providence Standard Straight Gate	48-1/4in. H x 34-1/2in. W	73009364	670638
A	4ft. x 4ft. Providence Standard Straight Gate	48-1/4in. H x 46-1/2in. W	73009365	384454
A	4ft. x 5ft. Providence Standard Straight Gate	48-1/4in. H x 58-1/2in. W	73009366	670639
C	4ft. x 6ft. Providence Standard Straight Gate	48-1/4in. H x 70-1/2in. W	73015024	670640
A	5ft. x 3ft. Providence Standard Straight Gate	60-1/4in. H x 34-1/2in. W	73009370	670641
A	5ft. x 4ft. Providence Standard Straight Gate	60-1/4in. H x 46-1/2in. W	73009371	384456
A	5ft. x 5ft. Providence Standard Straight Gate	60-1/4in. H x 58-1/2in. W	73009372	670642
C	5ft. x 6ft. Providence Standard Straight Gate	60-1/4in. H x 70-1/2in. W	73015032	670643
A	6ft. x 3ft. Providence Standard Straight Gate	72-1/4in. H x 34-1/2in. W	73009376	670644
A	6ft. x 4ft. Providence Standard Straight Gate	72-1/4in. H x 46-1/2in. W	73009377	384458
A	6ft. x 5ft. Providence Standard Straight Gate	72-1/4in. H x 58-1/2in. W	73009378	670645
C	6ft. x 6ft. Providence Standard Straight Gate	72-1/4in. H x 70-1/2in. W	73015040	670646

Heavy-Duty

- 1-3/16 in. x 1-1/2 in. rails
- 1-1/2 in. x 1-1/2 in. gate uprights
- 3/4 in. x 3/4 in. pickets

	Drive Gates	Actual Size Per Panel	Black Model #	SOS#
A	4ft. x 3ft. Providence Heavy Duty Straight Gate	48-1/4in. H x 34-1/2in. W	73010245	670647
A	4ft. x 4ft. Providence Heavy Duty Straight Gate	48-1/4in. H x 46-1/2in. W	73010246	384492
A	4ft. x 5ft. Providence Heavy Duty Straight Gate	48-1/4in. H x 58-1/2in. W	73010247	670648
C	4ft. x 6ft. Providence Heavy Duty Straight Gate	48-1/4in. H x 70-1/2in. W	73016248	670649
A	5ft. x 3ft. Providence Heavy Duty Straight Gate	60-1/4in. H x 34-1/2in. W	73010251	670650
A	5ft. x 4ft. Providence Heavy Duty Straight Gate	60-1/4in. H x 46-1/2in. W	73010252	384494
A	5ft. x 5ft. Providence Heavy Duty Straight Gate	60-1/4in. H x 58-1/2in. W	73010253	670651
C	5ft. x 6ft. Providence Heavy Duty Straight Gate	60-1/4in. H x 70-1/2in. W	73016256	670652
A	6ft. x 3ft. Providence Heavy Duty Straight Gate	72-1/4in. H x 34-1/2in. W	73010257	5696171
A	6ft. x 4ft. Providence Heavy Duty Straight Gate	72-1/4in. H x 46-1/2in. W	73010258	5696168
A	6ft. x 5ft. Providence Heavy Duty Straight Gate	72-1/4in. H x 58-1/2in. W	73010259	5696169
C	6ft. x 6ft. Providence Heavy Duty Straight Gate	72-1/4in. H x 70-1/2in. W	73016264	5696161




4in. x 4in. aluminum posts include pyramid post top and screws, available on page 57 – Recommended for use on double drive gates greater than 12-ft. wide. Color-matched butterfly hinges included with all gate kits.

- A** 3-ft, 4-ft, 5-ft and 6-ft heights feature a picket bottom style to match panel styles
- B** 4½-ft heights feature a flush bottom to match panel styles
- C** 6-ft wide single gates & 12-ft wide double drive gates use 2-in x 2-in 'U' framing

Providence - Arch

Includes 2 Panels Per SKU



Standard

- 1 in. x 1 in. rails
- 1-1/2 in. x 1-1/2 in. gate uprights
- 5/8 in. x 5/8 in. pickets

Double Drive Gates	Actual Size Per Panel	Height at Arch	Black Model #	SOS#
A 4ft. x 6ft. Providence Standard Arch Gate	48-1/4in. H x 34-1/2in. W	56-1/4in.	73015304	672936
A 4ft. x 8ft. Providence Standard Arch Gate	48-1/4in. H x 46-1/2in. W	56-1/4in.	73015452	403894
A 4ft. x 10ft. Providence Standard Arch Gate	48-1/4in. H x 58-1/2in. W	60-1/4in.	73015716	403993
C 4ft. x 12ft. Providence Standard Arch Gate	48-1/4in. H x 70-1/2in. W	60-1/4in.	73015980	404032
A 5ft. x 6ft. Providence Standard Arch Gate	60-1/4in. H x 34-1/2in. W	68-1/4in.	73015308	403990
A 5ft. x 8ft. Providence Standard Arch Gate	60-1/4in. H x 46-1/2in. W	68-1/4in.	73015460	403985
A 5ft. x 10ft. Providence Standard Arch Gate	60-1/4in. H x 58-1/2in. W	72-1/4in.	73015724	403905
C 5ft. x 12ft. Providence Standard Arch Gate	60-1/4in. H x 70-1/2in. W	72-1/4in.	73015988	404027
A 6ft. x 6ft. Providence Standard Arch Gate	72-1/4in. H x 34-1/2in. W	80-1/4in.	73015312	403994
A 6ft. x 8ft. Providence Standard Arch Gate	72-1/4in. H x 46-1/2in. W	80-1/4in.	73015468	403971
A 6ft. x 10ft. Providence Standard Arch Gate	72-1/4in. H x 58-1/2in. W	84-1/4in.	73015732	403999
C 6ft. x 12ft. Providence Standard Arch Gate	72-1/4in. H x 70-1/2in. W	84-1/4in.	73015996	403937

Heavy-Duty

- 1-3/16 in. x 1-1/2 in. rails
- 1-1/2 in. x 1-1/2 in. gate uprights
- 3/4 in. x 3/4 in. pickets

Double Drive Gates	Actual Size Per Panel	Height at Arch	Black Model #	SOS#
A 4ft. x 6ft. Providence Heavy Duty Arch Gate	48-1/4in. H x 34-1/2in. W	56-1/4in.	73016652	672937
A 4ft. x 8ft. Providence Heavy Duty Arch Gate	48-1/4in. H x 46-1/2in. W	56-1/4in.	73016724	403991
A 4ft. x 10ft. Providence Heavy Duty Arch Gate	48-1/4in. H x 58-1/2in. W	60-1/4in.	73016868	403959
C 4ft. x 12ft. Providence Heavy Duty Arch Gate	48-1/4in. H x 70-1/2in. W	60-1/4in.	73017012	403984
A 5ft. x 6ft. Providence Heavy Duty Arch Gate	60-1/4in. H x 34-1/2in. W	68-1/4in.	73016656	404008
A 5ft. x 8ft. Providence Heavy Duty Arch Gate	60-1/4in. H x 46-1/2in. W	68-1/4in.	73016732	403912
A 5ft. x 10ft. Providence Heavy Duty Arch Gate	60-1/4in. H x 58-1/2in. W	72-1/4in.	73016876	403891
C 5ft. x 12ft. Providence Heavy Duty Arch Gate	60-1/4in. H x 70-1/2in. W	72-1/4in.	73017020	403899
A 6ft. x 8ft. Providence Heavy Duty Arch Gate	72-1/4in. H x 46-1/2in. W	80-1/4in.	73016740	5696158
A 6ft. x 10ft. Providence Heavy Duty Arch Gate	72-1/4in. H x 58-1/2in. W	84-1/4in.	73016884	5696154
C 6ft. x 12ft. Providence Heavy Duty Arch Gate	72-1/4in. H x 70-1/2in. W	84-1/4in.	73017028	5696155




4in. x 4in. aluminum posts include pyramid post top and screws, available on page 57 – Recommended for use on double drive gates greater than 12-ft. wide. Color-matched butterfly hinges included with all gate kits.

- A 3-ft, 4-ft, 5-ft and 6-ft heights feature a picket bottom style to match panel styles
- B 4-1/2-ft heights feature a flush bottom to match panel styles
- C 6-ft wide single gates & 12-ft wide double drive gates use 2-in x 2-in 'U' framing

Providence - Estate

Includes 2 Panels Per SKU



Standard

- 1 in. x 1 in. rails
- 1-1/2 in. x 1-1/2 in. gate uprights
- 5/8 in. x 5/8 in. pickets

	Double Drive Gates	Actual Size Per Panel	Height at Arch	Black Model #	SOS#
A	4ft. x 8ft. Providence Standard Estate Gate	48-1/4in. H x 46-1/2in. W	56-1/4in.	73015456	779462
A	4ft. x 10ft. Providence Standard Estate Gate	48-1/4in. H x 58-1/2in. W	60-1/4in.	73015720	779473
C	4ft. x 12ft. Providence Standard Estate Gate	48-1/4in. H x 70-1/2in. W	60-1/4in.	73015984	779469
A	5ft. x 8ft. Providence Standard Estate Gate	60-1/4in. H x 46-1/2in. W	68-1/4in.	73015464	779420
A	5ft. x 10ft. Providence Standard Estate Gate	60-1/4in. H x 58-1/2in. W	72-1/4in.	73015728	779432
C	5ft. x 12ft. Providence Standard Estate Gate	60-1/4in. H x 70-1/2in. W	72-1/4in.	73015992	779426
A	6ft. x 8ft. Providence Standard Estate Gate	72-1/4in. H x 46-1/2in. W	80-1/4in.	73015472	779414
A	6ft. x 10ft. Providence Standard Estate Gate	72-1/4in. H x 58-1/2in. W	84-1/4in.	73015736	779418
C	6ft. x 12ft. Providence Standard Estate Gate	72-1/4in. H x 70-1/2in. W	84-1/2in.	73016000	779416

Heavy-Duty

- 1-3/16 in. x 1-1/2 in. rails
- 1-1/2 in. x 1-1/2 in. gate uprights
- 3/4 in. x 3/4 in. pickets

	Double Drive Gates	Actual Size Per Panel	Height at Arch	Black Model #	SOS#
A	4ft. x 8ft. Providence Heavy Duty Estate Gate	48-1/4in. H x 46-1/2in. W	56-1/4in.	73016728	779464
A	4ft. x 10ft. Providence Heavy Duty Estate Gate	48-1/4in. H x 58-1/2in. W	60-1/4in.	73016872	779475
C	4ft. x 12ft. Providence Heavy Duty Estate Gate	48-1/4in. H x 70-1/2in. W	60-1/4in.	73017016	779471
A	5ft. x 8ft. Providence Heavy Duty Estate Gate	60-1/4in. H x 46-1/2in. W	68-1/4in.	73016736	779422
A	5ft. x 10ft. Providence Heavy Duty Estate Gate	60-1/4in. H x 58-1/2in. W	72-1/4in.	73016880	779434
C	5ft. x 12ft. Providence Heavy Duty Estate Gate	60-1/4in. H x 70-1/2in. W	72-1/4in.	73017024	779428
A	6ft. x 8ft. Providence Heavy Duty Estate Gate	72-1/4in. H x 46-1/2in. W	80-1/4in.	73016744	5696162
A	6ft. x 10ft. Providence Heavy Duty Estate Gate	72-1/4in. H x 58-1/2in. W	84-1/4in.	73016888	5696157
C	6ft. x 12ft. Providence Heavy Duty Estate Gate	72-1/4in. H x 70-1/2in. W	84-1/2in.	73017032	5696152




4in. x 4in. aluminum posts include pyramid post top and screws, available on page 57 – Recommended for use on double drive gates greater than 12-ft. wide. Color-matched butterfly hinges included with all gate kits.

- A 3-ft, 4-ft, 5-ft and 6-ft heights feature a picket bottom style to match panel styles
- B 4-1/2-ft heights feature a flush bottom to match panel styles
- C 6-ft wide single gates & 12-ft wide double drive gates use 2-in x 2-in 'U' framing

Sydney - Straight

Must Purchase 2 of Each SKU For Double Gate
May Order Individual Gates if Desired




Standard

- 1 in. x 1 in. rails
- 1-½ in. x 1-½ in. gate uprights
- ⅝ in. x ⅝ in. pickets

Drive Gates		Actual Size Per Panel	Black Model #	SOS#
A	4ft. x 4ft. Sydney Standard Straight Gate	48-¼in. H x 46-½in. W	73020847	5696146
A	4ft. x 5ft. Sydney Standard Straight Gate	48-¼in. H x 58-½in. W	73020849	5696145
C	4ft. x 6ft. Sydney Standard Straight Gate	48-¼in. H x 70-½in. W	73020879	5696148

Sydney - Estate

Includes 2 Panels Per SKU



Standard

- 1-⅜ in. x 1-½ in. rails
- 1-½ in. x 1-½ in. gate uprights
- ¾ in. x ¾ in. pickets

Double Drive Gates		Actual Size Per Panel	Height at Arch	Black Model #	SOS#
A	4ft. x 8ft. Sydney Standard Arch Gate	48-½in. H x 46-½in. W	56-½in.	73020882	5696175
A	4ft. x 10ft. Sydney Standard Arch Gate	48-½in. H x 58-½in. W	60-½in.	73020884	5696176
C	4ft. x 12ft. Sydney Standard Arch Gate	48-½in. H x 70-½in. W	60-½in.	73020886	5696173




4in. x 4in. aluminum posts include pyramid post top and screws, available on page 57 – Recommended for use on double drive gates greater than 12-ft. wide. Color-matched butterfly hinges included with all gate kits.

- A 3-ft, 4-ft, 5-ft and 6-ft heights feature a picket bottom style to match panel styles
- B 4½-ft heights feature a flush bottom to match panel styles
- C 6-ft wide single gates & 12-ft wide double drive gates use 2-in x 2-in 'U' framing

Sydney - Arch

Includes 2 Panels Per SKU



Standard

- 1 in. x 1 in. rails
- 1-½ in. x 1-½ in. gate uprights
- 5⁄8 in. x 5⁄8 in. pickets

	Double Drive Gates	Actual Size Per Panel	Height at Arch	Black Model #	SOS#
A	4ft. x 8ft. Sydney Standard Arch Gate	48-½in. H x 46-½in. W	56-½in.	73020881	5696147
A	4ft. x 10ft. Sydney Standard Arch Gate	48-½in. H x 58-½in. W	60-½in.	73020883	5696177
C	4ft. x 12ft. Sydney Standard Arch Gate	48-½in. H x 70-½in. W	60-½in.	73020885	5696174



4in. x 4in. aluminum posts include pyramid post top and screws, available on page 57 – Recommended for use on double drive gates greater than 12-ft. wide. Color-matched butterfly hinges included with all gate kits.

- A** 3-ft, 4-ft, 5-ft and 6-ft heights feature a picket bottom style to match panel styles
- B** 4½-ft heights feature a flush bottom to match panel styles
- C** 6-ft wide single gates & 12-ft wide double drive gates use 2-in x 2-in 'U' framing



Accessories

Freedom Aluminum Fence Accessories

Hardware & Accessories		Black Model #	SOS#	Pewter Model #	SOS#	White Model #	SOS#	Gold Model #	SOS#
A	2" Surface Mount Standard	73045677	1944616	73045679	1944617	73045680	1944618	•	•
A	2-½" Surface Mount Heavy Duty	73045685	1944619	73045687	1944620	•	•	•	•
B	⅝" Angle Brackets (3 Pack) Standard	73002241	384781	73003964	384789	73010684	384802	•	•
C	¾" Angle Brackets (3 Pack) Heavy Duty	73013020	384830	73013021	384831	•	•	•	•
D	⅝" Wall Bracket Kit (3 Pack) Standard	73013011	384825	73013012	384826	73013013	384827	•	•
E	¾" Wall Bracket Kit (3 Pack) Heavy Duty	73013015	384828	73013016	384829	•	•	•	•
F	⅝" Tri Finial Top Standard	73010673	384794	•	•	•	•	73012678	384823
G	⅝" Quad Finial Top Standard	73010674	384795	•	•	•	•	73012676	384822
H	2" Pyramid Top Standard	73010669	384791	73010676	384797	73010690	384806	•	•
H	2-½" Pyramid Top Heavy Duty	73010704	384810	73010710	384812	•	•	•	•
I	2" Ball Top Standard	73010672	384793	73010679	384798	73010693	384807	•	•
I	2-½" Ball Top Heavy Duty	73010707	384811	73010713	384814	•	•	•	•
I	4" Ball Top	73022539	1944608	73043932	1944615	73022543	1944609	•	•
J	Solar Top Standard and Heavy Duty	73010671	384792	•	•	•	•	•	•
K	⅝" Butterfly Scrolls Standard	73022623	1944612	73012673	384820	73022627	1944614	73022625	1944613
K	¾" Butterfly Scrolls Heavy Duty	73022611	1944610	73045743	1944621	•	•	73022613	1944611
L	Touch-Up Paint	73022324	1646164	73012507	384816	73022328	1944607	•	•
M	4" x 4" x 106" Blank Post	73012991	253409	73012992	253576	73012993	675266	•	•
N	Puppy Picket Add-On	73050575	4967909	•	•	•	•	•	•




Black Pewter White Gold

All products not available in all colors.

Accessories

Freedom Aluminum Fence Accessories



Surface Mount

Used to secure base of post to wood or concrete surface. Available for 2" Standard posts and 2-½" Heavy Duty posts



Angle Brackets

Available for 1" Standard and 1-½" Heavy Duty rails



Wall Bracket Kits

Available for 1" Standard and 1-½" Heavy Duty rails



Tri Finial Top


For use on Hudson Standard (5/8" open picket top) - 15 finials complete 1 panel



Quad Finial Top

For use on Hudson Standard (5/8" open picket top) - 15 finials complete 1 panel

Post Tops




Pyramid Top

Ships standard with all 2" Standard and 2-½" Heavy Duty posts



Ball Top

Decorative option for 2" Standard posts, 2-½" Heavy Duty posts 4" Blank posts



Solar Top

Decorative lighted post top, in black facing, adaptable for use with 2" Standard posts and 2-½" Heavy Duty posts

Decorative Accents



Butterfly Scroll

Available for 5/8" Standard panels and 3/4" Heavy Duty picket



Touch-Up Paint

Heavy duty enamel epoxy color matched paint for touch up and repair of the occasional nick scratch or blemish

4x4 Post



4" Blank Post

Recommended for use on double drive gates greater than 12ft. wide. Includes 4" pyramid post top.

Picket Add-On






Puppy Picket Add-On

Kit includes: (1) Puppy Panel in Black, (4) Quick attach brackets, (4) screws. Can be added to any Standard grade fence panel, even if racked.

Quick attachment clip makes installation fast and offers flexibility to adjust to your desired look.

Choose flush or extended picket top look.




Wrap Hinges				Black Model #		SOS#		White Model #		SOS#									
A	Standard Wrap Hinge - Pair			73028117		982889		73025512		982873									
A	Standard Stainless Steel Wrap Hinge - Pair			73014252		649809		•		•									
Butterfly Hinges				Black Model #		SOS#		White Model #		SOS#		Pewter Model #		SOS#		Matte Blk. Model #		SOS#	
B	Heavy-Duty Butterfly Hinge - Pair			73025668		982878		73025670		982880		73025669		982879		73025674		982883	
C	Standard Butterfly Hinge - Pair			73025681		982885		73025673		982882		73025671		982881		73025675		982884	
D	Compact Butterfly Hinge - Pair			73025667		982877		•		•		•		•		•		•	
E	Flush Mount Butterfly Hinge			73044983		1944891		•		•		•		•		•		•	
Drop Rods				Black Model #		SOS#		White Model #		SOS#		Pewter Model #		SOS#					
F	48" Heavy-Duty Drop Rod			73025499		1260114		73025500		1260115		•		•					
F	48" Heavy-Duty Stainless Steel Drop Rod			73025503		1260116		73025504		1260117		•		•					
G	36" Heavy-Duty Drop Rod			73024430		673689		•		•		•		•					
G	36" Heavy-Duty Stainless Steel Drop Rod			73024432		673691		•		•		•		•					
H	36" Standard Drop Rod*			73014303		586820		73014304		586842		•		•					
I	24" Heavy-Duty Drop Rod			73014305		586850		73014306		586851		73025507		982870					
I	24" Heavy-Duty Stainless Steel Drop Rod			73024431		673690		•		•		•		•					
Latches & Accessories				Black Model #		SOS#		White Model #		SOS#		Pewter Model #		SOS#					
J	Flip Latch			73024426		673685		•		•		•		•					
K	Slide Bar Latch			73024428		673687		•		•		•		•					
L	Gravity Latch			73002252		384783		•		•		73025494		982865					
L	Gravity Latch Stainless Steel			73014251		649816		•		•		•		•					
M	Y-Latch for 2" upright			73024448		982863		•		•		•		•					
M	Y-Latch for 2-½" upright			73043571		1260120		•		•		•		•					
N	Locking Gravity Latch with 1-sided key entry			73050184		5031201		•		•		•		•					
O	Locking Gravity Latch with 2-sided key entry			73050187		5031202		73050188		5031203		•		•					
P	Gate Stop			73014321		586884		73025508		982871		73025511		982872					
Q	EZ Grip Gate Handle			73024421		673682		73004735		982860		•		•					
Pool Latches				Black Model #		SOS#		White Model #		SOS#									
R	Locking Pool Safety Latch 			73050191		5057042		•		•									
S	Locking Compact Pool Safety Latch 			73050192		5057043		•		•									
T	Adapter Kit for Pool Latch – fits pool latch on round post 			73050193		4956598		•		•									

Note: All corresponding images to above items shown in black.

All products not available in all colors.

*Standard Drop Rods include two gate handles


HINGES




DROP RODS





LATCHES



POOL LATCHES



ACCESSORIES



Product Description		Available Materials	Support Gates Up To
Hinges			
A	Standard Wrap Hinge - Pair	Steel, Stainless Steel	75 lbs
B	Heavy Duty Butterfly Hinge -Pair	Aluminum	100 lbs
C	Standard Butterfly Hinge - Pair	Aluminum	75 lbs
D	Compact Butterfly Hinge - Pair	Aluminum	35 lbs
E	Flush Mount Butterfly Hinge	Aluminum	75 lbs
Drop Rods			
F	48" Standard Drop Rod	Steel, Stainless Steel	
G	36" Heavy Duty Drop Rod	Steel, Stainless Steel	
H	36" Standard Drop Rod	Steel	
I	24" Heavy Duty Drop Rod	Steel, Stainless Steel	
Latches			
J	Flip Latch	Steel	
K	Slide Bar Latch	Steel	
L	Gravity Latch	Steel, Stainless Steel	
M	Y-Latch	Steel	
N	Locking Gravity Latch with 1-sided key entry	Nylon with Stainless Steel	
O	Locking Gravity Latch with 2-sided key entry	Nylon with Stainless Steel	
P	Locking Latch with handle	Nylon with Stainless Steel	
Accessories			
Q	Gate Stop	Steel with Silicone	
R	EZ Grip Gate Handle	Nylon	
Pool Code Approved Latches			
S	Locking Pool Latch 	Nylon with Stainless Steel	
T	Locking Compact Pool Latch 	Nylon with Stainless Steel	

GATE HARDWARE

Self-Closing	3-Way Adjustable	Works with Vinyl	Works with Wood	Works with Aluminum	Works with Steel	Additional Colors
Hinges						
✓	✓	✓	✓	✓	✓	
✓		✓	✓	✓	✓	✓
✓		✓	✓	✓	✓	✓
✓		✓	✓	✓	✓	
✓		✓		✓		
Drop Rods						
		✓	✓	✓	✓	✓
		✓	✓	✓	✓	
		✓	✓	✓	✓	✓
		✓	✓	✓	✓	✓
Latches						
		✓	✓	✓	✓	
		✓	✓	✓	✓	
		✓	✓	✓	✓	
				✓		
		✓	✓	✓	✓	
		✓	✓	✓	✓	
				✓	✓	
Accessories						
		✓	✓	✓	✓	✓
		✓	✓	✓	✓	✓
Pool Code Approved Latches						
		✓	✓	✓	✓	
		✓	✓	✓	✓	

Transferable Limited Lifetime Warranty

Who is covered:

- The limited lifetime warranty covers single-family residential properties only. This limited warranty extends to the original purchaser and one (1) individual transferee as specified herein.
- A thirty (30) year limited warranty covers any other type of building or property including those owned by corporations, governmental agencies, partnerships, trusts, religious organizations, schools, condominiums, homeowner associations, cooperative housing arrangements and apartment buildings. The warranty period will be thirty (30) years following the original date of Product purchase.

What is covered: Barrette Outdoor Living warrants that its aluminum fencing products ("Product") will be free from defects in material and workmanship for the warranty period. This limited warranty is valid beginning on the date of Product purchase.

Barrette Outdoor Living warrants the Product against peeling, flaking, rotting, chipping, cracking, blistering, splintering, corrosion and rusting; or abnormal discoloration/fading* under normal atmosphere and weather conditions.

*After prolonged exposure to outdoor environments, all products will experience some gradual fading over time and is considered normal (up to a standard variation determined by Delta E color measurement, not to exceed Delta 5). Degrees of fading vary depending on geographical location, air pollution, exposure and other factors.

What this warranty does not cover: This limited warranty does not cover damage resulting from: misuse, abuse, improper storage or handling, improper installation, other aluminum products and accessories that are not manufactured by Barrette Outdoor Living, or manufactured for specific use in aluminum fence applications; damage caused by events beyond human control including but not limited to damage caused by animals or natural events; impact of foreign objects, fire, earthquake, flood, lightning, hail, hurricane, tornado or other casualty or act of God; movements, distortion, collapse or settling of ground or structure on which the fence is installed. This limited warranty does not cover costs of removal or disposal of product, or reinstallation of replacement product.

What Barrette Outdoor Living does to remedy the problem: Should your Barrette Outdoor Living product prove defective under warranty, visit the website or call the phone number listed below. Barrette Outdoor Living requires written notice or phone call within thirty (30) days of discovering the defect and you must show original proof of purchase receipt. You will be required to provide to Barrette Outdoor Living pictures and/or samples of the defective Product. If it is determined by Barrette Outdoor Living, in its sole discretion, the Product has a manufacturer defect, Barrette Outdoor Living will replace with new or equivalent products; labor is not included in warranty. If the Product is discontinued, Barrette Outdoor Living will replace the Product with a product in comparable quality or price range.

Barrette Outdoor Living reserves the right to discontinue or modify any of its products, including the color of its products without notice to the purchaser. Barrette Outdoor Living does not warrant that any replacement material will match or be identical to the original Product as replacement products may vary in color or gloss in comparison to the original Product as a result of normal weathering.

Transferee Coverage: Limited lifetime warranty coverage will be extended to one (1) transferee with the following limitations: the one (1) transfer shall only be from residential homeowner (original Product purchaser) to a second homeowner. After a transfer, the warranty is valid thirty (30) years from the date of the original purchase.

The thirty (30) year limited warranty for commercial installations cannot be transferred.

Registration: To activate this warranty, fill out the product registration form on the website listed below, or mail a completed registration card to Barrette Outdoor Living. Registration of Product must be within thirty (30) days from date of Product purchase for warranty to be valid.

Except as expressly set forth in this warranty, Barrette Outdoor Living HEREBY EXPRESSLY DISCLAIMS ANY REPRESENTATION, WARRANTY, PROMISE, GUARANTEE OR OTHER ASSURANCE OF ANY KIND, EXPRESS OR IMPLIED, ORAL OR WRITTEN, STATUTORY OR OTHERWISE, RELATING TO THE PRODUCT. STATE LAW WILL DETERMINE THE PERIOD OF TIME FOLLOWING THE SALE THAT YOU MAY SEEK A REMEDY UNDER THE IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

NO DISTRIBUTOR, DEALER OR OTHER PERSON IS AUTHORIZED BY BARRETTE OUTDOOR LIVING TO CHANGE THIS WARRANTY OR TO MAKE ANY ADDITIONAL REPRESENTATION, WARRANTY, PROMISE, GUARANTEE OR OTHER ASSURANCE ON BEHALF OF BARRETTE OUTDOOR LIVING RELATING TO THE PRODUCT. THIS WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS, AND YOU MAY ALSO HAVE OTHER RIGHTS WHICH VARY STATE TO STATE.

LIMITATION OF LIABILITY: THE REMEDIES DESCRIBED ABOVE ARE YOUR SOLE AND EXCLUSIVE REMEDIES AND BARRETTE OUTDOOR LIVING'S ENTIRE LIABILITY FOR ANY BREACH OF THIS LIMITED WARRANTY. BARRETTE OUTDOOR LIVING'S LIABILITY SHALL UNDER NO CIRCUMSTANCES EXCEED THE ACTUAL AMOUNT PAID BY YOU FOR THE DEFECTIVE PRODUCT, NOR SHALL BARRETTE OUTDOOR LIVING BE LIABLE FOR ANY CONSEQUENTIAL, INCIDENTAL, SPECIAL OR PUNITIVE DAMAGES OR LOSSES, WHETHER DIRECT OR INDIRECT. SOME STATES DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THE ABOVE LIMITATION OR EXCLUSION MAY NOT APPLY TO YOU. THIS WARRANTY IS VALID ONLY IN THE UNITED STATES AND CANADA.

This warranty is effective for products purchased after January 1, 2017.

This warranty can also be found online at FreedomProduct.com/warranty


To register your product, visit FreedomProduct.com

In case of a warranty claim call 1-888-418-4400

Design Your Dream

FREEDOM[®]
OUTDOOR LIVING

Freedom products are designed to enhance and inspire. Whether you are looking to add privacy with a new fence, enhance curb appeal with smart and easy decorative screens or enhance your living space with new railing, Freedom can help. Manufactured in the USA and backed by an industry leading warranty, Freedom is proud to offer a solution for any need in your outdoor living space.



Bring your vision to life with our high-quality, low-maintenance solutions in fencing, railing and more. Featuring a variety of styles, colors and accessories, our outdoor living products will help make your dream a reality.



To Contact a Barrette Outdoor Living/Freedom[®] Specialist
Call 888-418-4400 or Visit FreedomProduct.com

BY **Barrette**
OUTDOOR LIVING